

Date : 2021-03-31 **No.** : HP21030420 Page 1 of 61

Applicant	:	Yoshiritsu Co., Ltd.
		1563 Koshibe Oyodo Yoshino Nara 638-0803 Japan
		Attn: Mo Ohkubo
Description of Samples	:	Three styles submitted sample(s) each in two sets stated to be:
		Name of Parts.
		LaQ RED No.1-7
		LaO YELLOW No 1-7
		LaO GREEN No.1-7
		LaO PINK No 1-7
		LaO SKY BLUE No.1-7
		LaO ORANGE No.1-7
		LaQ LIME No.1-7
		LaQ WHITE No.1-7
		LaQ BLACK No.1-7
		LaQ BROWN No.1-7
		LaQ GRAY No.1-7
		LaQ LAVENDER No.1-7
		LaQ CLEAR No.1-7
		LaQ CLEAR RED No.1-7
		LaQ CLEAR BLUE No.1-7
		LaQ CLEAR YELLOW No.1-7
		LaQ HAMACRON CONSTRUCTOR WHEEL
		LaQ HAMACRON CONSTRUCTOR SHAFT
		LaQ HAMACRON CONTRSUCTOR MIDDLE SIZE WHEEL
		LAQ HAMACKON CONSTRUCTOR MINI WHEEL
		LaQ HAMACRON CONSTRUCTOR MINI WHEEL
		LaQ HAMACKON CONSTRUCTOR MINI SHAFT I_{AO} SWEET COLLECTION HEADDAND DADT
		Blister Case OR ANGE
		Blister Case RED
		Blister Case BLUE
		Blister Case PINK
		Blister Case LIME
		Plastic Container (Small)
		Plastic Container (Large)
		(

WONG Wing-cheung, Benny Authorized Signatory

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong



Date : 2021-03-31 **No.** : HP21030420 Page 2 of 61

Description of Samples	:	Item Name(A) LaQ INSECT WORLD STAG BEETLE Jan Code: 4952907007186(B) LaQ HAMACRON CONSTRUCTOR AIRPLANE Jan Code: 4952907007230(C) LaQ MARINE WORLD SEA CREATURES Jan Code: 4952907007247Labelled Age Grading: Age 5 years and up Appropriate Age Grade(C) LaQ MARINE WORLD SEA CREATURES Jan Code: 4952907007247Labelled Age Grading: Age 5 years and up Client's Requested Age Grading: Age 5 years and up Client's Requested Age Grading: Age 5 years and up Client's propriate Age Grade: Age 5 years and up Client's Requested Age Grading: Age 5 years and up it to be solved and up: Step Age Grade: Age 5 years and up it to be solved and up: Step Age Grade: Age 5 years and up it to be solved and up: Step Age Grade: Age 5 years and up it to be solved and up: Step Age Grade: Age 5 years and up it to be solved and up: Step Age Grade: Age 5 years and up it to be solved and up: Step Age Grade: Age 5 years and up it to be solved and up: Step Age Grade: Age 5 years and up it to be solved and up: Step Age Grade: Age 5 years and up it to be solved and up: Step Age Grade: Age 5 years and up it to be solved and up: Step Age Grade: Age 5 years and up it to be solved and up: Step Age Grade: Age 5 years and up it to be solved and up: Step Age Grade: Age 5 years and up it to be solved and up: Step Age Grade: Age 5 years and up it to be solved and up: Step Age Grade: Age 5 years and up itt
Date Samples Received	:	2021-03-16
Date Tested	:	2021-03-16 to 2021-03-29
Test Requested	:	Test ItemResultI.EN71 : Part 1 : 2014 + A1 : 2018 - Physical and Mechanical PropertiesPassedII.EN71 : Part 2 : 2011 + A1 : 2014 - Flammability testPassedIII.EN71 : Part 3 : 2019 - Migration of certain elements (Aluminium, Antimony, Arsenic, Barium, Boron, Cadmium, Chromium (III), Chromium (VI), Cobalt, Copper, Lead, Manganese, Mercury, Nickel, Selenium, Strontium, Tin, Organic Tin and Zinc).PassedIV.Regulation (EC) No. 1907/2006 of the European Parliament and of the Council, Annex XVII, Entry 23 and its amendment Regulation (EU) No. 494/2011 and No. 835/2012 - Cadmium content (formerly Directive 91/338/EEC)Passed

WONG Wing-cheung, Benny Authorized Signatory

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong



Date : 2021-03-31 **No.** : HP21030420 Page 3 of 61

Test Requested	:	V. VI.	<u>Test Item</u> European Regulation (EU) No. 1907/2006(REACH) Annex XVII Entry 51 & 52 and its amendment Commission Regulation (EU) 2018/2005 — Phthalate content. ASTM F963-17	Result Passed
		VII.	 Physical and Mechanical Tests Flammability Test Heavy Elements Test (Clause 4.3.5) Lead content in accordance with U.S. Consumer Product Safety Improvement Act of 2008 - Sec. 101 : Children's Products 	Passed Passed Passed Passed
		VIII.	Phthalates content as required by section 108, USA Consumer Product Safety Improvement Act and 16 CFR 1307 and 15 U.S. Code § 2057c.	Passed
Test Result	:	Refer	to the result pages for details.	

WONG Wing-cheung, Benny Authorized Signatory

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong



Date : 2021-03-31 **No.** : HP21030420

Test Results :

I. <u>EN71 : Part 1 : 2014 + A1 : 2018</u>

Applicable_	Description	Result
<u>clause</u>		
4	General requirements	
4.1	Material cleanliness	Pass
4.7	Edges	Pass
4.8	Points and metallic wires	Pass
6	Packaging	Pass
7	Warnings, markings and instructions for use	*1
7.1	General	Pass
7.2	Toys not intended for children under 36 months	Pass

- *¹= The manufacturer or his authorized representative or the importer into the community shall in a visible, easily legible and indelible form affix his name and/or trade name and/or mark and address on the toy or on its packaging.
- Note: For numerical result with upper[lower] limit, compliance is deemed to occur if the measured result is under[above] the upper[lower] limit, even when extended upwards [downwards]by the expanded uncertainty with 95% coverage probability.
- II. <u>EN71 : Part 2 : 2011 + A1 : 2014</u>

Applicable	Title/Description	<u>Result</u>
<u>4.1</u>	General requirements	Pass
	Note : No cellulose nitrate and material with same behaviour in fire was detected.	

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong

 Tel: +852 2666 1888
 Fax: +852 2664 4353
 Email: hkstc@hkstc.org
 Website: www.stc-group.org

 This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Limited.
 For Conditions of Issuance of this test report, please refer to "Conditions of Issuance of Test Reports" section or Website.

Page 4 of 61



Page 5 of 61

Date : 2021-03-31 **No.** : HP21030420

III. <u>EN 71 : Part 3 : 2019^{*2} </u>

Test Method: Heavy element analysis was determined by Inductively Coupled Plasma Spectrometry (ICP-OES) and/or Inductively Coupled Plasma Mass Spectrometry (ICP-MS) and/or Gas Chromatography Mass Spectrometry (GCMS).

Category III - Scraped-off toy material

Flement	Migration limit	Result (mg/kg)							
Liement	(mg/kg)	Sample							
		1	2	3	4	5	6		
Aluminium (Al)	70,000	ND	ND	ND	ND	ND	ND		
Antimony (Sb)	560	ND	ND	ND	ND	ND	ND		
Arsenic (As)	47	ND	ND	ND	ND	ND	ND		
Barium (Ba)	18,750	ND	ND	ND	ND	ND	ND		
Boron (B)	15,000	ND	ND	ND	ND	ND	ND		
Cadmium (Cd)	17	ND	ND	ND	ND	ND	ND		
Chromium (III)	460	0.026	0.075	BL	BL	BL	BL		
Chromium (VI)	0.053	0.025	ND	BL	BL	BL	BL		
Cobalt (Co)	130	ND	ND	ND	ND	ND	ND		
Copper (Cu)	7,700	ND	ND	ND	ND	ND	ND		
Lead (Pb)	160	ND	ND	ND	ND	ND	ND		
Manganese (Mn)	15,000	11	7	ND	ND	ND	ND		
Mercury (Hg)	94	ND	ND	ND	ND	ND	ND		
Nickel (Ni)	930	ND	ND	ND	ND	ND	ND		
Selenium (Se)	460	ND	ND	ND	ND	ND	ND		
Strontium (Sr)	56,000	41	39	ND	ND	ND	ND		
Tin (Sn)	180,000	ND	ND	ND	ND	ND	ND		
Organic tin [#]	12	ND	ND	ND	ND	ND	ND		
Zinc (Zn)	46,000	ND	ND	ND	ND	ND	ND		

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong



Page 6 of 61

Date : 2021-03-31 **No.** : HP21030420

III. <u>EN 71 : Part 3 : 2019^{*2} </u>

Test Method: Heavy element analysis was determined by Inductively Coupled Plasma Spectrometry (ICP-OES) and/or Inductively Coupled Plasma Mass Spectrometry (ICP-MS) and/or Gas Chromatography Mass Spectrometry (GCMS).

Category III - Scraped-off toy material

Element	Migration limit	Result (mg/kg)							
	(mg/kg)			San	nple				
		7	8	9	10	11	12		
Aluminium (Al)	70,000	ND	ND	ND	ND	ND	ND		
Antimony (Sb)	560	ND	ND	ND	ND	ND	ND		
Arsenic (As)	47	ND	ND	ND	ND	ND	ND		
Barium (Ba)	18,750	ND	ND	ND	ND	ND	ND		
Boron (B)	15,000	ND	ND	ND	ND	ND	ND		
Cadmium (Cd)	17	ND	ND	ND	ND	ND	ND		
Chromium (III)	460	BL	BL	BL	BL	BL	BL		
Chromium (VI)	0.20.053	BL	BL	BL	BL	BL	BL		
Cobalt (Co)	130	ND	ND	ND	ND	ND	ND		
Copper (Cu)	7,700	ND	ND	ND	ND	ND	ND		
Lead (Pb)	160	ND	ND	ND	ND	ND	ND		
Manganese (Mn)	15,000	ND	ND	ND	ND	ND	ND		
Mercury (Hg)	94	ND	ND	ND	ND	ND	ND		
Nickel (Ni)	930	ND	ND	ND	ND	ND	ND		
Selenium (Se)	460	ND	ND	ND	ND	ND	ND		
Strontium (Sr)	56,000	ND	ND	ND	ND	ND	ND		
Tin (Sn)	180,000	ND	ND	ND	ND	ND	ND		
Organic tin [#]	12	ND	ND	ND	ND	ND	ND		
Zinc (Zn)	46,000	ND	ND	ND	ND	ND	ND		

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong



Date : 2021-03-31

No. : HP21030420

Page 7 of 61

III. <u>EN 71 : Part 3 : 2019^{*2} </u>

Test Method: Heavy element analysis was determined by Inductively Coupled Plasma Spectrometry (ICP-OES) and/or Inductively Coupled Plasma Mass Spectrometry (ICP-MS) and/or Gas Chromatography Mass Spectrometry (GCMS).

Category III - Scraped-off toy material

Element	Migration limit	Result (mg/kg)							
	(mg/kg)			San	nple				
		13	14	15	16	17	18		
Aluminium (Al)	70,000	ND	ND	ND	ND	ND	ND		
Antimony (Sb)	560	ND	ND	ND	ND	ND	ND		
Arsenic (As)	47	ND	ND	ND	ND	ND	ND		
Barium (Ba)	18,750	ND	ND	ND	ND	ND	ND		
Boron (B)	15,000	ND	ND	ND	ND	ND	ND		
Cadmium (Cd)	17	ND	ND	ND	ND	ND	ND		
Chromium (III)	460	BL	BL	BL	BL	BL	BL		
Chromium (VI)	0.2	BL	BL	BL	BL	BL	BL		
Cobalt (Co)	130	ND	ND	ND	ND	ND	ND		
Copper (Cu)	7,700	ND	ND	ND	ND	ND	ND		
Lead (Pb)	160	ND	ND	ND	ND	ND	ND		
Manganese (Mn)	15,000	ND	ND	ND	ND	ND	ND		
Mercury (Hg)	94	ND	ND	ND	ND	ND	ND		
Nickel (Ni)	930	ND	ND	ND	ND	ND	ND		
Selenium (Se)	460	ND	ND	ND	ND	ND	ND		
Strontium (Sr)	56,000	ND	ND	ND	ND	ND	ND		
Tin (Sn)	180,000	0.2	ND	ND	ND	ND	ND		
Organic tin [#]	12	0.5	ND	ND	ND	ND	ND		
Zinc (Zn)	46,000	ND	ND	ND	ND	ND	ND		

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong



Page 8 of 61

Date : 2021-03-31 **No.** : HP21030420

III. <u>EN 71 : Part 3 : 2019^{*^2} </u>

Test Method: Heavy element analysis was determined by Inductively Coupled Plasma Spectrometry (ICP-OES) and/or Inductively Coupled Plasma Mass Spectrometry (ICP-MS) and/or Gas Chromatography Mass Spectrometry (GCMS).

Category III - Scraped-off toy material

Element	Migration limit	Result (mg/kg)							
	(mg/kg)			San	nple				
		19	20	21	22	23	24		
Aluminium (Al)	70,000	ND	ND	ND	ND	ND	ND		
Antimony (Sb)	560	ND	ND	ND	ND	ND	ND		
Arsenic (As)	47	ND	ND	ND	ND	ND	ND		
Barium (Ba)	18,750	ND	ND	ND	ND	ND	ND		
Boron (B)	15,000	ND	ND	ND	ND	ND	ND		
Cadmium (Cd)	17	ND	ND	ND	ND	ND	ND		
Chromium (III)	460	BL	BL	BL	BL	BL	BL		
Chromium (VI)	0.2	BL	BL	BL	BL	BL	BL		
Cobalt (Co)	130	ND	ND	ND	ND	ND	ND		
Copper (Cu)	7,700	ND	ND	ND	ND	ND	ND		
Lead (Pb)	160	ND	ND	ND	ND	ND	ND		
Manganese (Mn)	15,000	ND	ND	ND	ND	ND	ND		
Mercury (Hg)	94	ND	ND	ND	ND	ND	ND		
Nickel (Ni)	930	ND	ND	ND	ND	ND	ND		
Selenium (Se)	460	ND	ND	ND	ND	ND	ND		
Strontium (Sr)	56,000	ND	ND	ND	ND	ND	ND		
Tin (Sn)	180,000	0.5	ND	ND	ND	ND	ND		
Organic tin [#]	12	1.1	ND	ND	0.4	ND	ND		
Zinc (Zn)	46,000	ND	ND	ND	ND	ND	ND		

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong



Page 9 of 61

Date : 2021-03-31

No. : HP21030420

III. <u>EN 71 : Part 3 : 2019^{*2} </u>

Test Method: Heavy element analysis was determined by Inductively Coupled Plasma Spectrometry (ICP-OES) and/or Inductively Coupled Plasma Mass Spectrometry (ICP-MS) and/or Gas Chromatography Mass Spectrometry (GCMS).

Category III - Scraped-off toy material

Flement	Migration limit	Result (mg/kg)								
Liement	(mg/kg)		Sample							
		25	26	27	28	29	30			
Aluminium (Al)	70,000	ND	ND	ND	ND	ND	ND			
Antimony (Sb)	560	ND	ND	ND	ND	ND	ND			
Arsenic (As)	47	ND	ND	ND	ND	ND	ND			
Barium (Ba)	18,750	ND	ND	ND	ND	ND	ND			
Boron (B)	15,000	ND	ND	ND	ND	ND	ND			
Cadmium (Cd)	17	ND	ND	ND	ND	ND	ND			
Chromium (III)	460	BL	BL	BL	BL	BL	BL			
Chromium (VI)	0.2	BL	BL	BL	BL	BL	BL			
Cobalt (Co)	130	ND	ND	ND	ND	ND	ND			
Copper (Cu)	7,700	ND	ND	ND	ND	ND	ND			
Lead (Pb)	160	ND	ND	ND	ND	ND	ND			
Manganese (Mn)	15,000	ND	ND	ND	ND	ND	ND			
Mercury (Hg)	94	ND	ND	ND	ND	ND	ND			
Nickel (Ni)	930	ND	ND	ND	ND	ND	ND			
Selenium (Se)	460	ND	ND	ND	ND	ND	ND			
Strontium (Sr)	56,000	ND	ND	ND	ND	ND	ND			
Tin (Sn)	180,000	ND	ND	ND	ND	ND	ND			
Organic tin [#]	12	ND	0.2	ND	ND	ND	ND			
Zinc (Zn)	46,000	ND	ND	ND	ND	ND	ND			

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong



Page 10 of 61

Date : 2021-03-31 **No.** : HP21030420

III. <u>EN 71 : Part 3 : 2019^{*2} </u>

Test Method: Heavy element analysis was determined by Inductively Coupled Plasma Spectrometry (ICP-OES) and/or Inductively Coupled Plasma Mass Spectrometry (ICP-MS) and/or Gas Chromatography Mass Spectrometry (GCMS).

Category III - Scraped-off toy material

Flement	Migration limit	Result (mg/kg)								
Liement	(mg/kg)		Sample							
		31	32	33	34	35	36			
Aluminium (Al)	70,000	ND	ND	ND	ND	ND	ND			
Antimony (Sb)	560	ND	ND	ND	ND	ND	ND			
Arsenic (As)	47	ND	ND	ND	ND	ND	ND			
Barium (Ba)	18,750	ND	ND	ND	ND	ND	ND			
Boron (B)	15,000	ND	ND	ND	ND	ND	ND			
Cadmium (Cd)	17	ND	ND	ND	ND	ND	ND			
Chromium (III)	460	BL	BL	BL	BL	BL	BL			
Chromium (VI)	0.2	BL	BL	BL	BL	BL	BL			
Cobalt (Co)	130	ND	ND	ND	ND	ND	ND			
Copper (Cu)	7,700	ND	ND	ND	ND	ND	ND			
Lead (Pb)	160	ND	ND	ND	ND	ND	ND			
Manganese (Mn)	15,000	ND	ND	ND	ND	ND	ND			
Mercury (Hg)	94	ND	ND	ND	ND	ND	ND			
Nickel (Ni)	930	ND	ND	ND	ND	ND	ND			
Selenium (Se)	460	ND	ND	ND	ND	ND	ND			
Strontium (Sr)	56,000	ND	ND	ND	ND	ND	ND			
Tin (Sn)	180,000	ND	ND	ND	ND	ND	ND			
Organic tin [#]	12	ND	ND	ND	ND	ND	ND			
Zinc (Zn)	46,000	ND	ND	ND	ND	ND	ND			

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong



Page 11 of 61

Date : 2021-03-31 **No.** : HP21030420

III. <u>EN 71 : Part 3 : 2019^{*^2} </u>

Test Method: Heavy element analysis was determined by Inductively Coupled Plasma Spectrometry (ICP-OES) and/or Inductively Coupled Plasma Mass Spectrometry (ICP-MS) and/or Gas Chromatography Mass Spectrometry (GCMS).

Category III - Scraped-off toy material

Element	Migration limit	Result (mg/kg)								
Liement	(mg/kg)	Sample								
		37	38	39	40	41	42			
Aluminium (Al)	70,000	ND	ND	ND	ND	ND	ND			
Antimony (Sb)	560	ND	ND	ND	ND	ND	ND			
Arsenic (As)	47	ND	ND	ND	ND	ND	ND			
Barium (Ba)	18,750	ND	ND	ND	ND	ND	ND			
Boron (B)	15,000	ND	ND	ND	ND	ND	ND			
Cadmium (Cd)	17	ND	ND	ND	ND	ND	ND			
Chromium (III)	460	BL	BL	BL	BL	BL	BL			
Chromium (VI)	0.2	BL	BL	BL	BL	BL	BL			
Cobalt (Co)	130	ND	ND	ND	ND	ND	ND			
Copper (Cu)	7,700	ND	ND	ND	ND	ND	ND			
Lead (Pb)	160	ND	ND	ND	ND	ND	ND			
Manganese (Mn)	15,000	ND	ND	ND	ND	ND	ND			
Mercury (Hg)	94	ND	ND	ND	ND	ND	ND			
Nickel (Ni)	930	ND	ND	ND	ND	ND	ND			
Selenium (Se)	460	ND	ND	ND	ND	ND	ND			
Strontium (Sr)	56,000	ND	ND	ND	ND	ND	ND			
Tin (Sn)	180,000	ND	ND	ND	ND	ND	ND			
Organic tin [#]	12	ND	ND	ND	ND	ND	ND			
Zinc (Zn)	46,000	ND	ND	ND	ND	ND	ND			

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong



Page 12 of 61

Date : 2021-03-31 **No.** : HP21030420

III. <u>EN 71 : Part 3 : 2019^{*2} </u>

Test Method: Heavy element analysis was determined by Inductively Coupled Plasma Spectrometry (ICP-OES) and/or Inductively Coupled Plasma Mass Spectrometry (ICP-MS) and/or Gas Chromatography Mass Spectrometry (GCMS).

Category III - Scraped-off toy material

Element	Migration limit	Result (mg/kg)						
	(mg/kg)	Sample						
		43	44	45	46	47	48	
Aluminium (Al)	70,000	ND	ND	ND	ND	ND	ND	
Antimony (Sb)	560	ND	ND	ND	ND	ND	ND	
Arsenic (As)	47	ND	ND	ND	ND	ND	ND	
Barium (Ba)	18,750	ND	ND	ND	ND	ND	ND	
Boron (B)	15,000	ND	ND	ND	ND	ND	ND	
Cadmium (Cd)	17	ND	ND	ND	ND	ND	ND	
Chromium (III)	460	BL	0.052	BL	BL	BL	BL	
Chromium (VI)	0.2	BL	ND	BL	BL	BL	BL	
Cobalt (Co)	130	ND	ND	ND	ND	ND	ND	
Copper (Cu)	7,700	ND	ND	ND	ND	ND	ND	
Lead (Pb)	160	ND	ND	ND	ND	ND	ND	
Manganese (Mn)	15,000	ND	ND	ND	ND	ND	ND	
Mercury (Hg)	94	ND	ND	ND	ND	ND	ND	
Nickel (Ni)	930	ND	ND	ND	ND	ND	ND	
Selenium (Se)	460	ND	ND	ND	ND	ND	ND	
Strontium (Sr)	56,000	ND	ND	ND	ND	ND	ND	
Tin (Sn)	180,000	ND	0.3	ND	ND	ND	ND	
Organic tin [#]	12	ND	0.8	ND	ND	ND	ND	
Zinc (Zn)	46,000	ND	ND	ND	ND	ND	ND	

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong



Date : 2021-03-31 **No.** : HP21030420

III.

Page 13 of 61

<u>EN 71 : Part 3 : 2019</u>^{*2} Test Method: Heavy element analysis was determined by Inductively Coupled Plasma Spectrometry (ICP-OES) and/or Inductively Coupled Plasma Mass Spectrometry (ICP-MS) and/or Gas Chromatography Mass Spectrometry (GCMS).

Category III - Scraped-off toy material

		Result (mg/kg)		
Element	Migration limit	Sample		
Element	(mg/kg)	49	50	
Aluminium (Al)	70,000	ND	ND	
Antimony (Sb)	560	ND	ND	
Arsenic (As)	47	ND	ND	
Barium (Ba)	18,750	ND	ND	
Boron (B)	15,000	ND	ND	
Cadmium (Cd)	17	ND	ND	
Chromium (III)	460	BL	BL	
Chromium (VI)	0.2	BL	BL	
Cobalt (Co)	130	ND	ND	
Copper (Cu)	7,700	ND	ND	
Lead (Pb)	160	ND	ND	
Manganese (Mn)	15,000	ND	ND	
Mercury (Hg)	94	ND	ND	
Nickel (Ni)	930	ND	ND	
Selenium (Se)	460	ND	ND	
Strontium (Sr)	56,000	ND	ND	
Tin (Sn)	180,000	0.5	ND	
Organic tin [#]	12	1.1	ND	
Zinc (Zn)	46,000	ND	ND	

Note : • All results are in mg/kg

- < denotes less than
- \geq denotes greater than or equal to
- For samples of migrated chromium content lower than migration limit of chromium (VI), no speciation test for chromium (III) and chromium (VI) were conducted. The results were derived from that of total chromium
- For samples of migrated tin content calculated as tributyl tin lower than migration limit of organic tin, no organic tin test was conducted. Organic tin results were derived from that of total tin
- ND = Not detected
- BL = Below Limit
- For specification with upper limit, compliance is deemed to occur if the measured result is under the limit, even extended upwards by the expanded uncertainty with 95% coverage probability.

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong



Date : 2021-03-31 **No.** : HP21030420

Note :

Page 14 of 61

III. EN 71 : Part 3 : 2019*²

Category III - Scraped-off toy material

• The samples with sample weight less than 100 mg, were assumed to be 100 mg in calculation (except glass/ceramic/metallic materials)

100 mg in calculation (except glass/ceramic/metallic materials) [#]Organic tin compounds under investigation are limited to methyltin, butyltin, dibutyltin, tributyltin, tetrabutyltin, monooctyltin, dioctyltin, dipropyltin, diphenyltin and triphenyltin. Other organic tin compounds may also be present in toys

Sample	Description	Sample weight
1	Instruction sheet(#1/#2/#3/#4/#5/#6/#7): red/blue/green/black	≥100 mg
	multicolor coating	-
2	Instruction sheet(#1/#2/#3/#4/#5/#6/#7): white paper	≥100 mg
3	Basic parts: red ABS	≥100 mg
4	Basic parts: blue ABS	≥100 mg
5	Basic parts: yellow ABS	≥100 mg
6	Basic parts: green ABS	≥100 mg
7	Basic parts: pink ABS	≥100 mg
8	Basic parts: sky blue ABS	≥100 mg
9	Basic parts: orange ABS	≥100 mg
10	Basic parts: lime ABS	≥100 mg
11	Basic parts: white ABS	≥100 mg
12	Basic parts: black ABS	≥100 mg
13	Basic parts: brown ABS	≥100 mg
14	Basic parts: gray ABS	≥100 mg
15	Basic parts: lavender ABS	≥100 mg
16	Center of middle size wheel: dull white ABS	≥100 mg
17	Basic parts: red POM	≥100 mg
18	Basic parts: blue POM	≥100 mg
19	Basic parts: yellow POM	≥100 mg
20	Basic parts: green POM	≥100 mg
21	Basic parts: pink POM	≥100 mg
22	Basic parts: sky blue POM	≥100 mg
23	Basic parts: orange POM	≥100 mg
24	Basic parts: lime POM	≥100 mg
25	Basic parts: white POM	≥100 mg
26	Basic parts: black POM	≥100 mg
27	Basic parts: brown POM	≥100 mg
28	Basic parts: gray POM	≥100 mg
29	Basic parts: lavender POM	≥100 mg

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong



Date : 2021-03-31 **No.** : HP21030420

Note :

Page 15 of 61

III. <u>EN 71 : Part 3 : 2019^{*2} </u>

Category III – Scraped-off toy material

- The samples with sample weight less than 100 mg, were assumed to be 1,00 mg in calculation (except glass/ceramic/metallic materials)
 - 100 mg in calculation (except glass/ceramic/metallic materials) [#]Organic tin compounds under investigation are limited to methyltin, butyltin, dibutyltin, tributyltin, tetrabutyltin, monooctyltin, dioctyltin, dipropyltin, diphenyltin and triphenyltin. Other organic tin compounds may also be present in toys

For specification with upper limit, compliance is deemed to occur if the measured result is under the limit, even extended upwards by the expanded uncertainty with 95% coverage probability.

Sample	Description	Sample weight
30	Wheel: dull gray POM	≥100 mg
31	Shaft/long shaft/ mini shaft: dull black POM	≥100 mg
32	Center of mini wheel: dull white POM	≥100 mg
33	Clear parts: transparent PMMA	≥100 mg
34	Clear parts: transparent red PMMA	≥100 mg
35	Clear parts: transparent blue PMMA	≥100 mg
36	Clear parts: transparent yellow PMMA	≥100 mg
37	Clear parts: transparent PC	≥100 mg
38	Clear parts: transparent red PC	≥100 mg
39	Clear parts: transparent blue PC	≥100 mg
40	Clear parts: transparent yellow PC	≥100 mg
41	Tire of middle size wheel/tire of mini wheel: black PE	≥100 mg
42	Headband: white PP	≥100 mg
43	Blister case: orange plastic	≥100 mg
44	Blister case: red plastic	≥100 mg
45	Blister case: blue plastic	≥100 mg
46	Blister case: pink plastic	≥100 mg
47	Blister case: lime plastic	≥100 mg
48	Large container/small container: translucent white plastic	≥100 mg
49	Handle of large container/handle of small container: white plastic	≥100 mg
50	Cover of large container/cover of small container: translucent blue	≥100 mg
	plastic	

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong



Page 16 of 61

Date : 2021-03-31 **No.** : HP21030420

IV. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council, Annex XVII, Entry 23 and its amendment Regulation (EU) No. 494/2011 and No. 835/2012
Cadmium content (formerly Directive 91/338/EEC). *²

Test Method: Acid digestion followed by Atomic Absorption Spectrophotometry and/or Inductively Coupled Plasma Spectrometry (ICP-OES) analysis.

For plastic material

	Test item
	Total Cadmium
Maximum permissible level (mg/kg)	100
Sample	
1	<5
2	<5
3,4,5	<5
6,7,8	<5
9,10,11	<5
12,13,14	<5
15,16,17	<5
18,19,20	<5
21,22,23	<5
24,25,26	<5
27,28,29	<5
30,31,32	<5
33,34,35	<5
36,37,38	<5
39,40,41	<5
42,43,44	<5
45,46,47	<5
48,49,50	<5

Note : • All results are in mg/kg

- < denotes less than
- [#] denotes composite sample. The results for composite sample are calculated based on the component with the least weight.
- For specification with upper limit, compliance is deemed to occur if the measured result is under the limit, even extended upwards by the expanded uncertainty with 95% coverage probability.

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong



Page 17 of 61

Date : 2021-03-31 **No.** : HP21030420

IV. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council, Annex XVII, Entry 23 and its amendment Regulation (EU) No. 494/2011 and No. 835/2012

- Cadmium content (formerly Directive 91/338/EEC). *²

Test Method: Acid digestion followed by Atomic Absorption Spectrophotometry and/or Inductively Coupled Plasma Spectrometry (ICP-OES) analysis.

Sample	Description
1	Instruction sheet(#1/#2/#3/#4/#5/#6/#7): red/blue/green/black multicolor coating
2	Instruction sheet(#1/#2/#3/#4/#5/#6/#7): white paper
3	Basic parts: red ABS
4	Basic parts: blue ABS
5	Basic parts: yellow ABS
6	Basic parts: green ABS
7	Basic parts: pink ABS
8	Basic parts: sky blue ABS
9	Basic parts: orange ABS
10	Basic parts: lime ABS
11	Basic parts: white ABS
12	Basic parts: black ABS
13	Basic parts: brown ABS
14	Basic parts: gray ABS
15	Basic parts: lavender ABS
16	Center of middle size wheel: dull white ABS
17	Basic parts: red POM
18	Basic parts: blue POM
19	Basic parts: yellow POM
20	Basic parts: green POM
21	Basic parts: pink POM
22	Basic parts: sky blue POM
23	Basic parts: orange POM
24	Basic parts: lime POM
25	Basic parts: white POM
26	Basic parts: black POM
27	Basic parts: brown POM
28	Basic parts: gray POM
29	Basic parts: lavender POM
30	Wheel: dull gray POM
31	Shaft/long shaft/ mini shaft: dull black POM
32	Center of mini wheel: dull white POM

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong



Page 18 of 61

Date : 2021-03-31 **No.** : HP21030420

IV. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council, Annex XVII, Entry 23 and its amendment Regulation (EU) No. 494/2011 and No. 835/2012

- Cadmium content (formerly Directive 91/338/EEC). *²

Test Method: Acid digestion followed by Atomic Absorption Spectrophotometry and/or Inductively Coupled Plasma Spectrometry (ICP-OES) analysis.

Sample	Description
33	Clear parts: transparent PMMA
34	Clear parts: transparent red PMMA
35	Clear parts: transparent blue PMMA
36	Clear parts: transparent yellow PMMA
37	Clear parts: transparent PC
38	Clear parts: transparent red PC
39	Clear parts: transparent blue PC
40	Clear parts: transparent yellow PC
41	Tire of middle size wheel/tire of mini wheel: black PE
42	Headband: white PP
43	Blister case: orange plastic
44	Blister case: red plastic
45	Blister case: blue plastic
46	Blister case: pink plastic
47	Blister case: lime plastic
48	Large container/small container: translucent white plastic
49	Handle of large container/handle of small container: white plastic
50	Cover of large container/cover of small container: translucent blue plastic

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong



Date : 2021-03-31 **No.** : HP21030420

Page 19 of 61

V. European Regulation (EU) No. 1907/2006(REACH) Annex XVII Entry 51 & 52 and its amendment Commission Regulation (EU) 2018/2005–Phthalate content.*²

Test Method: Phthalate analysis was determined by Gas Chromatography.

Sampla	Phthalates content, %(w/w)						
Sample	DBP	BBP	DEHP	DIBP	DNOP	DINP	DIDP
1	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
2,3,4	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
5,6,7	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
8,9,10	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
11,12,13	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
14,15,16	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
17,18,19	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
20,21,22	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
23,24,25	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
26,27,28	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
29,30,31	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
32,33,34	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
35,36,37	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
38,39,40	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
41,42,43	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
44,45,46	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
47,48,49	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Limit	Individually or in any combination of the			The cumulative total of DNOP, DINP and			
	DBP, BBP DEHP and DIBP shall not be			DIDP shall not be greater than 0.1% by			
	equal to or greater than 0.1% by mass of			mass of the plasticised material.			
	the plasticised material.						

Remark:

- DBP =Di-n-butyl phthalate
- BBP =Benzyl-n-butyl phthalate
- DEHP = Di (2-ethylhexyl) phthalate
- DIBP = Diisobutyl phthalate
- DNOP = Di-n-octyl phthalate
- DINP = Diisononyl phthalate
- DIDP = Diisodecyl phthalate
- %(w/w) = percentage weight per weight
- Method detection limit = 0.01%(w/w)
- The requirements of DNOP, DINP and DIDP are only applicable on tested material which can be placed in the mouth by children.
- For specification with upper limit, compliance is deemed to occur if the measured result is under the limit, even extended upwards by the expanded uncertainty with 95% coverage probability.

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong



Date : 2021-03-31 **No.** : HP21030420 Page 20 of 61

- Note : All results are in % w/w
 - % w/w denotes percentage by weight
 - < denotes less than
 - [#] denotes composite sample. The results for composite sample are calculated based on the component with the least weight.
 - DEHP = Di (2-ethylhexyl) Phthalate; DBP = Dibutyl Phthalate; BBP = Butyl Benzyl Phthalate; DINP = Diisononyl Phthalate; DIDP = Diisodecyl Phthalate; DNOP = Di-n-octyl Phthalate
- V. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council, Annex XVII

- Phthalates contents (formerly Directive 2005/84/EC) *²

Test Method: Phthalate analysis was determined by Gas Chromatography.

Sample	Description
1	Instruction sheet(#1/#2/#3/#4/#5/#6/#7): red/blue/green/black multicolor coating
2	Basic parts: red ABS
3	Basic parts: blue ABS
4	Basic parts: yellow ABS
5	Basic parts: green ABS
6	Basic parts: pink ABS
7	Basic parts: sky blue ABS
8	Basic parts: orange ABS
9	Basic parts: lime ABS
10	Basic parts: white ABS
11	Basic parts: black ABS
12	Basic parts: brown ABS
13	Basic parts: gray ABS
14	Basic parts: lavender ABS
15	Center of middle size wheel: dull white ABS
16	Basic parts: red POM
17	Basic parts: blue POM
18	Basic parts: yellow POM
19	Basic parts: green POM
20	Basic parts: pink POM
21	Basic parts: sky blue POM
22	Basic parts: orange POM
23	Basic parts: lime POM
24	Basic parts: white POM
25	Basic parts: black POM
26	Basic parts: brown POM

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong



Date : 2021-03-31 **No.** : HP21030420 Page 21 of 61

V. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council, Annex XVII

- Phthalates contents (formerly Directive 2005/84/EC) *²

Test Method: Phthalate analysis was determined by Gas Chromatography.

Sample	Description
27	Basic parts: gray POM
28	Basic parts: lavender POM
29	Wheel: dull gray POM
30	Shaft/long shaft/ mini shaft: dull black POM
31	Center of mini wheel: dull white POM
32	Clear parts: transparent PMMA
33	Clear parts: transparent red PMMA
34	Clear parts: transparent blue PMMA
35	Clear parts: transparent yellow PMMA
36	Clear parts: transparent PC
37	Clear parts: transparent red PC
38	Clear parts: transparent blue PC
39	Clear parts: transparent yellow PC
40	Tire of middle size wheel/tire of mini wheel: black PE
41	Headband: white PP
42	Blister case: orange plastic
43	Blister case: red plastic
44	Blister case: blue plastic
45	Blister case: pink plastic
46	Blister case: lime plastic
47	Large container/small container: translucent white plastic
48	Handle of large container/handle of small container: white plastic
49	Cover of large container/cover of small container: translucent blue plastic

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong



Date : 2021-03-31

No. : HP21030420

VI. ASTM F963-17

a. Physical and Mechanical Tests

<u>Applicable</u>	Description	<u>Result</u>
<u>clause</u>		
4.1	Material Quality – Visual Inspection	Pass
4.2	Flammability	Pass
4.3	Toxicology	Pass
4.6	Small Objects	
4.6.3	Toys intended for children > 3 years but < 6 years, 16	Pass
	CFR 1500.19 Small objects labeling requirement	
4.7	Accessible edges	Pass
	16 CFR 1500.49 Sharp metal or glass edges	
4.9	Accessible points	Pass
	16 CFR 1500.48 Sharp points	
4.12	Plastic film	Pass
5	Labeling requirements	Pass
5.1	Federal government requirements	Pass
5.2	Age grading labeling	Pass
5.3	Safety labeling requirements	Pass
5.11	Small objects, small balls, marbles, and balloons 16	Pass
	CFR 1500.19	
7	Producer's markings	
7.1	Producer's markings	Pass

Remark : The sample(s) were subjected to the normal use and abuse tests in according with Clause 8.5 Normal Use Testing, 8.7 Impact test, 8.8 Torque test, 8.9 Tension test, 8.10 Compression test and 8.12 Flexure test whichever was applicable.

For numerical result with upper[lower] limit, compliance is deemed to occur Note: if the measured result is under[above] the upper[lower] limit, even when extended upwards [downwards]by the expanded uncertainty with 95% coverage probability.

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong

Tel: +852 2666 1888 Fax: +852 2664 4353 Email: hkstc@hkstc.org Website: www.stc-group.org This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Limited. For Conditions of Issuance of this test report, please refer to "Conditions of Issuance of Test Reports" section or Website.

Page 22 of 61



Date : 2021-03-31 **No.** : HP21030420

Page 23 of 61

Use and abuse test criteria:

Test	Age Category, months	Test Parameters	16 CFR Reference
Drop test	0 to 18	10 x 4.5 ft	1500.51(b)(3)
	over 18 to 36	4 x 3 ft	1500.52(b)(3)
	over 36 to 96	4 x 3 ft	1500.53(b)(3)
Tip over test	-	3 times	1500.51/52/53 (b)(4)
Tumble test	-	2 x 4 attitudes	-
Steel ball impact test	-	50 inches	-
Torque test	0 to 18	2 in-lbf	1500.51(e)
	over 18 to 36	3 in-lbf	1500.52(e)
	over 36 to 96	4 in-lbf	1500.53(e)
Tension test	0 to 18	10 lbf	1500.51(f)
	over 18 to 36	15 lbf	1500.52(f)
	over 36 to 96	15 lbf	1500.53(f)
Compression test	0 to 18	20 lbf	1500.51(g)
	over 18 to 36	25 lbf	1500.52(g)
	over 36 to 96	30 lbf	1500.53(g)
Flexure test	0 to 18	120 x 30 cycles (10 lbf)	1500.51(d)
	over 18 to 36	120 x 30 cycles (15 lbf)	1500.52(d)
	over 36 to 96	120 x 30 cycles (15 lbf)	1500.53(d)

b. Flammability Test

Applicable	Description	<u>Result</u>
4.2	Flammability	Pass
	<u>Materials other than textiles</u> (16 CFR 1500.3 (c) (6) (vi))	
	Test method : Annex A5 (16 CFR 1500.44)	

Note: For numerical result with upper[lower] limit, compliance is deemed to occur if the measured result is under[above] the upper[lower] limit, even when extended upwards [downwards]by the expanded uncertainty with 95% coverage probability.

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong



Date : 2021-03-31

Page 24 of 61

No. : HP21030420

ASTM F963-17*² VI.

Heavy element (in composite condition) Ref.: ASTM F963-17 Section 4.3.5 Method: ASTM F963-17 Section 8.3 Determined by: Inductively Coupled Argon Plasma Atomic Emission Spectrophotometer

	Test Item
	Total Lead
Permissible Limit (ppm)	100(**)
Sample	
1	<10
2,3,4	<10
5,6,7	<10
8,9,10	<10
11,12,13	<10
14,15,16	<10
17,18,19	<10
20,21,22	<10
23,24,25	<10
26,27,28	<10
29,30,31	<10
32,33,34	<10
35,36,37	<10
38,39,40	<10
41,42,43	<10
44,45,46	<10
48,48,49	<10

Note: (**) 100 ppm limit applies to product produced on or after 14 Aug 2011

- All results are in ppm
- • calculated based on the component with the least weight.
- For specification with upper limit, compliance is deemed to occur if the measured result is under the limit, even extended upwards by the expanded uncertainty with 95% coverage probability.

The Hong Kong Standards and Testing Centre Limited 10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong



Date : 2021-03-31

No. : HP21030420

VI. <u>ASTM F963-17</u>*²

<u>Heavy element</u> Ref.: ASTM F963-17 Section 4.3.5 Method: ASTM F963-17 Section 8.3 Determined by: Inductively Coupled Argon Plasma Atomic Emission Spectrophotometer

Sample	Description
1	Instruction sheet(#1/#2/#3/#4/#5/#6/#7): white paper
2	Basic parts: red ABS
3	Basic parts: blue ABS
4	Basic parts: yellow ABS
5	Basic parts: green ABS
6	Basic parts: pink ABS
7	Basic parts: sky blue ABS
8	Basic parts: orange ABS
9	Basic parts: lime ABS
10	Basic parts: white ABS
11	Basic parts: black ABS
12	Basic parts: brown ABS
13	Basic parts: gray ABS
14	Basic parts: lavender ABS
15	Center of middle size wheel: dull white ABS
16	Basic parts: red POM
17	Basic parts: blue POM
18	Basic parts: yellow POM
19	Basic parts: green POM
20	Basic parts: pink POM
21	Basic parts: sky blue POM
22	Basic parts: orange POM
23	Basic parts: lime POM
24	Basic parts: white POM
25	Basic parts: black POM
26	Basic parts: brown POM
27	Basic parts: gray POM
28	Basic parts: lavender POM
29	Wheel: dull gray POM
30	Shaft/long shaft/ mini shaft: dull black POM

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong

Tel: +852 2666 1888 Fax: +852 2664 4353 Email: hkstc@hkstc.org Website: www.stc-group.org This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Limited. For Conditions of Issuance of this test report, please refer to "Conditions of Issuance of Test Reports" section or Website.

Page 25 of 61



Date : 2021-03-31

No. : HP21030420

VI. <u>ASTM F963-17</u>*²

Heavy element Ref.: ASTM F963-17 Section 4.3.5 Method: ASTM F963-17 Section 8.3 Determined by: Inductively Coupled Argon Plasma Atomic Emission Spectrophotometer

Sample	Description
31	Center of mini wheel: dull white POM
32	Clear parts: transparent PMMA
33	Clear parts: transparent red PMMA
34	Clear parts: transparent blue PMMA
35	Clear parts: transparent yellow PMMA
36	Clear parts: transparent PC
37	Clear parts: transparent red PC
38	Clear parts: transparent blue PC
39	Clear parts: transparent yellow PC
40	Tire of middle size wheel/tire of mini wheel: black PE
41	Headband: white PP
42	Blister case: orange plastic
43	Blister case: red plastic
44	Blister case: blue plastic
45	Blister case: pink plastic
46	Blister case: lime plastic
47	Large container/small container: translucent white plastic
48	Handle of large container/handle of small container: white plastic
49	Cover of large container/cover of small container: translucent blue plastic

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong

 Tel: +852 2666 1888
 Fax: +852 2664 4353
 Email: hkstc@hkstc.org
 Website: www.stc-group.org

 This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Limited.
 For Conditions of Issuance of this test report, please refer to "Conditions of Issuance of Test Reports" section or Website.

Page 26 of 61



Date : 2021-03-31

No. : HP21030420

ASTM F963-17*² VI.

Heavy element Ref.: ASTM F963-17 Section 4.3.5 Method: ASTM F963-17 Section 8.3 Determined by: Inductively Coupled Argon Plasma Atomic Emission Spectrophotometer

	Test Item
	Total Lead
Permissible Limit (ppm)	90(**)
Sample	
1	<10

Note : (**) 90 ppm limit applies to product produced on or after 14 Aug 2011

- All results are in ppm
- •
- < denotes less than
 # denotes composite sample. The results for composite sample are</pre> calculated based on the component with the least weight.
- For specification with upper limit, compliance is deemed to occur if the measured result is under the limit, even extended upwards by the expanded uncertainty with 95% coverage probability.

<u>ASTM F963-17</u>*² VI.

Heavy element Ref.: ASTM F963-17 Section 4.3.5 Method: ASTM F963-17 Section 8.3 Determined by: Inductively Coupled Argon Plasma Atomic Emission Spectrophotometer

Sample	Description
1	Instruction sheet(#1/#2/#3/#4/#5/#6/#7): red/blue/green/black multicolor coating

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong

Tel: +852 2666 1888 Fax: +852 2664 4353 Email: hkstc@hkstc.org Website: www.stc-group.org This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Limited. For Conditions of Issuance of this test report, please refer to "Conditions of Issuance of Test Reports" section or Website.

Page 27 of 61



Date : 2021-03-31

No. : HP21030420

VI. <u>ASTM F963-17</u>*²

<u>Heavy element</u> Ref.: ASTM F963-17 Section 4.3.5 Method: ASTM F963-17 Section 8.3 Determined by: Inductively Coupled Argon Plasma Atomic Emission Spectrophotometer

				Test	Item			
	As	Hg	Se	Cd	Sb	Pb	Cr	Ba
Maximum Permissible Level (ppm)	25	60	500	75	60	90	60	1000
Sample								
1	<5	<5	<5	<5	<5	<5	<5	<20
2	<5	<5	<5	<5	<5	<5	<5	<20
3	<5	<5	<5	<5	<5	<5	<5	<20
4	<5	<5	<5	<5	<5	<5	<5	<20
5	<5	<5	<5	<5	<5	<5	<5	<20
6	<5	<5	<5	<5	<5	<5	<5	<20
7	<5	<5	<5	<5	<5	<5	<5	<20
8	<5	<5	<5	<5	<5	<5	<5	<20
9	<5	<5	<5	<5	<5	<5	<5	<20
10	<5	<5	<5	<5	<5	<5	<5	<20
11	<5	<5	<5	<5	<5	<5	<5	<20
12	<5	<5	<5	<5	<5	<5	<5	<20
13	<5	<5	<5	<5	<5	<5	<5	<20
14	<5	<5	<5	<5	<5	<5	<5	<20
15	<5	<5	<5	<5	<5	<5	<5	<20
16	<5	<5	<5	<5	<5	<5	<5	<20
17	<5	<5	<5	<5	<5	<5	<5	<20
18	<5	<5	<5	<5	<5	<5	<5	<20
19	<5	<5	<5	<5	<5	<5	<5	<20
20	<5	<5	<5	<5	<5	<5	<5	<20
21	<5	<5	<5	<5	<5	<5	<5	<20
22	<5	<5	<5	<5	<5	<5	<5	<20
23	<5	<5	<5	<5	<5	<5	<5	<20
24	<5	<5	<5	<5	<5	<5	<5	<20
25	<5	<5	<5	<5	<5	<5	<5	<20
26	<5	<5	<5	<5	<5	<5	<5	<20
27	<5	<5	<5	<5	<5	<5	<5	<20

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong

 Tel: +852 2666 1888
 Fax: +852 2664 4353
 Email: hkstc@hkstc.org
 Website: www.stc-group.org

 This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Limited.
 For Conditions of Issuance of this test report, please refer to "Conditions of Issuance of Test Reports" section or Website.

Page 28 of 61



Date : 2021-03-31

No. : HP21030420

VI. <u>ASTM F963-17</u>*²

<u>Heavy element</u> Ref.: ASTM F963-17 Section 4.3.5 Method: ASTM F963-17 Section 8.3 Determined by: Inductively Coupled Argon Plasma Atomic Emission Spectrophotometer

				Te Ite	est em			
	As	Hg	Se	Cd	Sb	Pb	Cr	Ba
Maximum Permissible Level (ppm)	25	60	500	75	60	90	60	1000
Sample								
28	<5	<5	<5	<5	<5	<5	<5	<20
29	<5	<5	<5	<5	<5	<5	<5	<20
30	<5	<5	<5	<5	<5	<5	<5	<20
31	<5	<5	<5	<5	<5	<5	<5	<20
32	<5	<5	<5	<5	<5	<5	<5	<20
33	<5	<5	<5	<5	<5	<5	<5	<20
34	<5	<5	<5	<5	<5	<5	<5	<20
35	<5	<5	<5	<5	<5	<5	<5	<20
36	<5	<5	<5	<5	<5	<5	<5	<20
37	<5	<5	<5	<5	<5	<5	<5	<20
38	<5	<5	<5	<5	<5	<5	<5	<20
39	<5	<5	<5	<5	<5	<5	<5	<20
40	<5	<5	<5	<5	<5	<5	<5	<20
41	<5	<5	<5	<5	<5	<5	<5	<20
42	<5	<5	<5	<5	<5	<5	<5	<20
43	<5	<5	<5	<5	<5	<5	<5	<20
44	<5	<5	<5	<5	<5	<5	<5	<20
45	<5	<5	<5	<5	<5	<5	<5	<20
46	<5	<5	<5	<5	<5	<5	<5	<20
47	<5	<5	<5	<5	<5	<5	<5	<20
48	<5	<5	<5	<5	<5	<5	<5	<20
49	<5	<5	<5	<5	<5	<5	<5	<20
50	<5	<5	<5	<5	<5	<5	<5	<20

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong

 Tel: +852 2666 1888
 Fax: +852 2664 4353
 Email: hkstc@hkstc.org
 Website: www.stc-group.org

 This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Limited.
 For Conditions of Issuance of this test report, please refer to "Conditions of Issuance of Test Reports" section or Website.

Page 29 of 61



Date : 2021-03-31 **No.** : HP21030420 Page 30 of 61

- Note : All results are in ppm
 - ppm denotes part per million by weight
 - < denotes less than
 - \geq denotes greater than or equal to
 - As = Arsenic; Hg = Mercury; Se = Selenium; Cd = Cadmium; Sb = Antimony; Pb = Lead; Cr = Chromium; Ba = Barium
 - For specification with upper limit, compliance is deemed to occur if the measured result is under the limit, after adjusted by subtracting the analytical correction factor in accordance with ASTM F963-17 clause 8.3.4.3.

VI. <u>ASTM F963-17</u>*²

Heavy element Ref.: ASTM F963-17 Section 4.3.5 Method: ASTM F963-17 Section 8.3 Determined by: Inductively Coupled Argon Plasma Atomic Emission Spectrophotometer

Sample	Description	Sample weight
1	Instruction sheet(#1/#2/#3/#4/#5/#6/#7): red/blue/green/black	≥100 mg
	multicolor coating	_
2	Instruction sheet(#1/#2/#3/#4/#5/#6/#7): white paper	≥100 mg
3	Basic parts: red ABS	≥100 mg
4	Basic parts: blue ABS	≥100 mg
5	Basic parts: yellow ABS	≥100 mg
6	Basic parts: green ABS	≥100 mg
7	Basic parts: pink ABS	≥100 mg
8	Basic parts: sky blue ABS	≥100 mg
9	Basic parts: orange ABS	≥100 mg
10	Basic parts: lime ABS	≥100 mg
11	Basic parts: white ABS	≥100 mg
12	Basic parts: black ABS	≥100 mg
13	Basic parts: brown ABS	≥100 mg
14	Basic parts: gray ABS	≥100 mg
15	Basic parts: lavender ABS	≥100 mg
16	Center of middle size wheel: dull white ABS	≥100 mg
17	Basic parts: red POM	≥100 mg
18	Basic parts: blue POM	≥100 mg
19	Basic parts: yellow POM	≥100 mg
20	Basic parts: green POM	≥100 mg
21	Basic parts: pink POM	≥100 mg

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong



Date : 2021-03-31

No. : HP21030420

VI. <u>ASTM F963-17</u>*²

Heavy element Ref.: ASTM F963-17 Section 4.3.5 Method: ASTM F963-17 Section 8.3 Determined by: Inductively Coupled Argon Plasma Atomic Emission Spectrophotometer

Sample	Description	Sample weight
22	Basic parts: sky blue POM	≥100 mg
23	Basic parts: orange POM	≥100 mg
24	Basic parts: lime POM	≥100 mg
25	Basic parts: white POM	≥100 mg
26	Basic parts: black POM	≥100 mg
27	Basic parts: brown POM	≥100 mg
28	Basic parts: gray POM	≥100 mg
29	Basic parts: lavender POM	≥100 mg
30	Wheel: dull gray POM	≥100 mg
31	Shaft/long shaft/ mini shaft: dull black POM	≥100 mg
32	Center of mini wheel: dull white POM	≥100 mg
33	Clear parts: transparent PMMA	≥100 mg
34	Clear parts: transparent red PMMA	≥100 mg
35	Clear parts: transparent blue PMMA	≥100 mg
36	Clear parts: transparent yellow PMMA	≥100 mg
37	Clear parts: transparent PC	≥100 mg
38	Clear parts: transparent red PC	≥100 mg
39	Clear parts: transparent blue PC	≥100 mg
40	Clear parts: transparent yellow PC	≥100 mg
41	Tire of middle size wheel/tire of mini wheel: black PE	≥100 mg
42	Headband: white PP	≥100 mg
43	Blister case: orange plastic	≥100 mg
44	Blister case: red plastic	≥100 mg
45	Blister case: blue plastic	≥100 mg
46	Blister case: pink plastic	≥100 mg
47	Blister case: lime plastic	≥100 mg
48	Large container/small container: translucent white plastic	≥100 mg
49	Handle of large container/handle of small container: white plastic	≥100 mg
50	Cover of large container/cover of small container: translucent blue	≥100 mg
	plastic	Ŭ

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong

Tel: +852 2666 1888 Fax: +852 2664 4353 Email: hkstc@hkstc.org Website: www.stc-group.org This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Limited. For Conditions of Issuance of this test report, please refer to "Conditions of Issuance of Test Reports" section or Website.

Page 31 of 61



Date : 2021-03-31

No. : HP21030420

Page 32 of 61

VII. Children's products containing lead - Total lead content in substrate (in composite condition) $*^2$ Ref.: CPSIA Sec 101(a) and 15 U.S. Code § 1278a. Test method: Standard operation procedure for determining total lead (Pb) in non-metal children's products, CPSC-CH-E1002-08.1 Test method: Standard operation procedure for determining total lead (Pb) in metal children's products, CPSC-CH-E1001-08.3 Determined by: Inductively Coupled Argon Plasma Atomic Emission Spectrophotometer

For materials and substrate

	Test Item
	Total Lead
Permissible Limit (mg/kg)	100(*)
Sample	
1	<10
2,3,4	<10
5,6,7	<10
8,9,10	<10
11,12,13	<10
14,15,16	<10
17,18,19	<10
20,21,22	<10
23,24,25	<10
26,27,28	<10
29,30,31	<10
32,33,34	<10
35,36,37	<10
38,39,40	<10
41,42,43	<10
44,45,46	<10
48,48,49	<10

- Note : (*) 100 ppm limit applies to product produced on or after 14 Aug 2011 All results are in mg/kg •

 - < denotes less than •
 - [#] denotes composite sample. The results for composite sample are calculated based on the component with the least weight.
 - For specification with upper limit, compliance is deemed to occur if the • measured result is under the limit, even extended upwards by the expanded uncertainty with 95% coverage probability.

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong

Website: www.stc-group.org Tel: +852 2666 1888 Fax: +852 2664 4353 Email: hkstc@hkstc.org This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Limited. For Conditions of Issuance of this test report, please refer to "Conditions of Issuance of Test Reports" section or Website.



Date : 2021-03-31

No. : HP21030420

Page 33 of 61

 VII. <u>Children's products containing lead - Total lead content in substrate</u>*² Ref.: CPSIA Sec 101(a) and 15 U.S. Code § 1278a. Test method: Standard operation procedure for determining total lead (Pb) in non-metal children's products, CPSC-CH-E1002-08.1 Test method: Standard operation procedure for determining total lead (Pb) in metal children's products, CPSC-CH-E1001-08.3 Determined by: Inductively Coupled Argon Plasma Atomic Emission Spectrophotometer

Sample	Description
1	Instruction sheet(#1/#2/#3/#4/#5/#6/#7): white paper
2	Basic parts: red ABS
3	Basic parts: blue ABS
4	Basic parts: yellow ABS
5	Basic parts: green ABS
6	Basic parts: pink ABS
7	Basic parts: sky blue ABS
8	Basic parts: orange ABS
9	Basic parts: lime ABS
10	Basic parts: white ABS
11	Basic parts: black ABS
12	Basic parts: brown ABS
13	Basic parts: gray ABS
14	Basic parts: lavender ABS
15	Center of middle size wheel: dull white ABS
16	Basic parts: red POM
17	Basic parts: blue POM
18	Basic parts: yellow POM
19	Basic parts: green POM
20	Basic parts: pink POM
21	Basic parts: sky blue POM
22	Basic parts: orange POM
23	Basic parts: lime POM
24	Basic parts: white POM
25	Basic parts: black POM
26	Basic parts: brown POM
27	Basic parts: gray POM
28	Basic parts: lavender POM
29	Wheel: dull gray POM
30	Shaft/long shaft/ mini shaft: dull black POM

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong



Page 34 of 61

Date : 2021-03-31

No. : HP21030420

 VII. <u>Children's products containing lead - Total lead content in substrate</u>*² Ref.: CPSIA Sec 101(a) and 15 U.S. Code § 1278a. Test method: Standard operation procedure for determining total lead (Pb) in non-metal children's products, CPSC-CH-E1002-08.1 Test method: Standard operation procedure for determining total lead (Pb) in metal children's products, CPSC-CH-E1001-08.3 Determined by: Inductively Coupled Argon Plasma Atomic Emission Spectrophotometer

Sample	Description
31	Center of mini wheel: dull white POM
32	Clear parts: transparent PMMA
33	Clear parts: transparent red PMMA
34	Clear parts: transparent blue PMMA
35	Clear parts: transparent yellow PMMA
36	Clear parts: transparent PC
37	Clear parts: transparent red PC
38	Clear parts: transparent blue PC
39	Clear parts: transparent yellow PC
40	Tire of middle size wheel/tire of mini wheel: black PE
41	Headband: white PP
42	Blister case: orange plastic
43	Blister case: red plastic
44	Blister case: blue plastic
45	Blister case: pink plastic
46	Blister case: lime plastic
47	Large container/small container: translucent white plastic
48	Handle of large container/handle of small container: white plastic
49	Cover of large container/cover of small container: translucent blue plastic

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong



Date : 2021-03-31

No. : HP21030420

Page 35 of 61

 VII. <u>Children's products containing lead - Total lead content in paint and surface coating</u>*² Ref.: CPSIA Sec. 101 (f), 16 CFR 1303 and 15 U.S. Code § 1278a. Test method: CPSC-CH-E 1003-09.1 Determined by: Inductively Coupled Argon Plasma Atomic Emission Spectrophotometer

For surface coating

	Test Item
	Total Lead
Permissible Limit (mg/kg)	90(*)
Sample	
1	<10

Note : • (*) 100 ppm limit applies to product produced on or after 14 Aug 2011

- All results are in mg/kg
- < denotes less than
- * # denotes composite sample. The results for composite sample are calculated based on the component with the least weight.
- For specification with upper limit, compliance is deemed to occur if the measured result is under the limit, even extended upwards by the expanded uncertainty with 95% coverage probability.
- VII. <u>Children's products containing lead Total lead content in paint and surface coating</u>*² Ref.: CPSIA Sec. 101 (f), 16 CFR 1303 and 15 U.S. Code § 1278a. Test method: CPSC-CH-E 1003-09.1 Determined by: Inductively Coupled Argon Plasma Atomic Emission Spectrophotometer

Sample	Description
1	Instruction sheet(#1/#2/#3/#4/#5/#6/#7): red/blue/green/black multicolor coating

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong



Date : 2021-03-31

No. : HP21030420

 VIII. <u>Phthalates content</u> (in composite condition) *² Ref.: CPSIA Sec. 108 & 16 CFR 1307 and 15 U.S. Code § 2057c. Test method: CPSC-CH-C1001-09.4 by Gas Chromatography with Mass Selective Detector

Sample	Phthalates content $\%(w/w)$									
No.	Finnalates content, %(W/W)									
	DBP	BBP	DEHP	DINP	DHEXP	DIBP	DPENP	DCHP	DNOP	DIDP
1	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
2,3,4	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
5,6,7	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
8,9,10	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
11,12,13	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
14,15,16	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
17,18,19	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
20,21,22	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
23,24,25	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
26,27,28	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
29,30,31	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
32,33,34	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
35,36,37	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
38,39,40	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
41,42,43	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
44,45,46	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
47,48,49	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Limit	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	See N	lote

Remark:

- DBP =Di-n-butyl phthalate
- BBP =Benzyl-n-butyl phthalate
- DEHP = Di (2-ethylhexyl) phthalate
- DNOP = Di-n-octyl phthalate
- DINP = Diisononyl phthalate
- DIDP = Diisodecyl phthalate
- DHEXP =Di-n-hexyl phthalate
- DIBP =Diisobutyl phthalate
- DPENP =Di-n-pentyl phthalate
- DCHP =Dicyclohexyl phthalate
- %(w/w) =percentage weight per weight

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong

Tel: +852 2666 1888 Fax: +852 2664 4353 Email: hkstc@hkstc.org Website: www.stc-group.org This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Limited. For Conditions of Issuance of this test report, please refer to "Conditions of Issuance of Test Reports" section or Website.

Page 36 of 61



Date : 2021-03-31 **No.** : HP21030420 Page 37 of 61

- Note : The results of DNOP and DIDP are for reference only.
- For specification with upper limit, compliance is deemed to occur if the measured result is under the limit, even extended upwards by the expanded uncertainty with 95% coverage probability.
- Note : All results are in % w/w
 - % w/w denotes percentage by weight
 - < denotes less than
 - [#] denotes composite sample. The results for composite sample are calculated based on the component with the least weight.
- VIII. <u>Phthalates content</u>*² Ref.: CPSIA Sec. 108 & 16 CFR 1307 and 15 U.S. Code § 2057c. Test method: CPSC-CH-C1001-09.4 by Gas Chromatography with Mass Selective Detector

Sample	Description
1	Instruction sheet(#1/#2/#3/#4/#5/#6/#7): red/blue/green/black multicolor coating
2	Basic parts: red ABS
3	Basic parts: blue ABS
4	Basic parts: yellow ABS
5	Basic parts: green ABS
6	Basic parts: pink ABS
7	Basic parts: sky blue ABS
8	Basic parts: orange ABS
9	Basic parts: lime ABS
10	Basic parts: white ABS
11	Basic parts: black ABS
12	Basic parts: brown ABS
13	Basic parts: gray ABS
14	Basic parts: lavender ABS
15	Center of middle size wheel: dull white ABS
16	Basic parts: red POM
17	Basic parts: blue POM
18	Basic parts: yellow POM
19	Basic parts: green POM
20	Basic parts: pink POM
21	Basic parts: sky blue POM
22	Basic parts: orange POM

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong



Date : 2021-03-31

VIII.

No. : HP21030420

Page 38 of 61

<u>Phthalates content</u>*²
 Ref.: CPSIA Sec. 108 & 16 CFR 1307 and 15 U.S. Code § 2057c.
 Test method: CPSC-CH-C1001-09.4 by Gas Chromatography with Mass Selective Detector

Sample	Description
23	Basic parts: lime POM
24	Basic parts: white POM
25	Basic parts: black POM
26	Basic parts: brown POM
27	Basic parts: gray POM
28	Basic parts: lavender POM
29	Wheel: dull gray POM
30	Shaft/long shaft/ mini shaft: dull black POM
31	Center of mini wheel: dull white POM
32	Clear parts: transparent PMMA
33	Clear parts: transparent red PMMA
34	Clear parts: transparent blue PMMA
35	Clear parts: transparent yellow PMMA
36	Clear parts: transparent PC
37	Clear parts: transparent red PC
38	Clear parts: transparent blue PC
39	Clear parts: transparent yellow PC
40	Tire of middle size wheel/tire of mini wheel: black PE
41	Headband: white PP
42	Blister case: orange plastic
43	Blister case: red plastic
44	Blister case: blue plastic
45	Blister case: pink plastic
46	Blister case: lime plastic
47	Large container/small container: translucent white plastic
48	Handle of large container/handle of small container: white plastic
49	Cover of large container/cover of small container: translucent blue plastic

 $*^2$ = The test results were referred from our Test Report No. HP20060658 issued on 2020-07-02.

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong



Date : 2021-03-31 **No.** : HP21030420 Page 39 of 61

Appendix for Photos of the Submitted Sample





Date : 2021-03-31 **No.** : HP21030420 Page 40 of 61





Date : 2021-03-31 **No.** : HP21030420 Page 41 of 61





Date : 2021-03-31 **No.** : HP21030420 Page 42 of 61





Date : 2021-03-31 **No.** : HP21030420 Page 43 of 61





Date : 2021-03-31 **No.** : HP21030420 Page 44 of 61





Date : 2021-03-31 **No.** : HP21030420 Page 45 of 61





Date : 2021-03-31 **No.** : HP21030420 Page 46 of 61





Date : 2021-03-31 **No.** : HP21030420



The Hong Kong Standards and Testing Centre Limited 10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong Tel: +852 2666 1888 Fax: +852 2664 4353 Email: hkstc@hkstc.org Website: www.stc-group.org This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Limited. For Conditions of Issuance of this test report, please refer to "Conditions of Issuance of Test Reports" section or Website.

Page 47 of 61



Date : 2021-03-31 **No.** : HP21030420

> HP21030420 N N LaQ HAMACRON CONSTRUCTOR SHAFT 22 23 24 26 N 28 HP21030420 N 22 LaQ HAMACRON CONSTRUCTOR 23 MIDDLE SIZE WHEEL 24 27

The Hong Kong Standards and Testing Centre Limited 10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong Tel: +852 2666 1888 Fax: +852 2664 4353 Email: hkstc@hkstc.org Website: www.stc-group.org This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Limited. For Conditions of Issuance of this test report, please refer to "Conditions of Issuance of Test Reports" section or Website.

Page 48 of 61



Date : 2021-03-31 **No.** : HP21030420

HP21030420 LaQ HAMACRON CONSTRUCTOR 22 LONG SHAFT 23 22 N 6 HP21030420 NO N 22 LaQ HAMACRON CONSTRUCTOR **MINI WHEEL** 23 2

The Hong Kong Standards and Testing Centre Limited 10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong Tel: +852 2666 1888 Fax: +852 2664 4353 Email: hkstc@hkstc.org Website: www.stc-group.org This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Limited. For Conditions of Issuance of this test report, please refer to "Conditions of Issuance of Test Reports" section or Website.

Page 49 of 61



Date : 2021-03-31 **No.** : HP21030420

> HP21030420 N LaQ HAMACRON CONSTRUCTOR 22 MINI SHAFT 23 N HP21030420 LaQ SWEET COLLECTION **HEADBAND PART**

The Hong Kong Standards and Testing Centre Limited 10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong Tel: +852 2666 1888 Fax: +852 2664 4353 Email: hkstc@hkstc.org Website: www.stc-group.org This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Limited. For Conditions of Issuance of this test report, please refer to "Conditions of Issuance of Test Reports" section or Website.

Page 50 of 61



Date : 2021-03-31 **No.** : HP21030420 Page 51 of 61





Date : 2021-03-31 **No.** : HP21030420 Page 52 of 61





Date : 2021-03-31 **No.** : HP21030420 Page 53 of 61





Date : 2021-03-31 **No.** : HP21030420 Page 54 of 61





Date : 2021-03-31 **No.** : HP21030420 Page 55 of 61





Date : 2021-03-31 **No.** : HP21030420 Page 56 of 61





Date : 2021-03-31 **No.** : HP21030420 Page 57 of 61





Date : 2021-03-31 **No.** : HP21030420 Page 58 of 61





Date : 2021-03-31 **No.** : HP21030420 Page 59 of 61





Date : 2021-03-31 **No.** : HP21030420 Page 60 of 61





Date : 2021-03-31 **No.** : HP21030420 Page 61 of 61

