

**Date**: 2023-10-05 Page 1 of 43 **No.**: HP23090708

**Applicant** : Yoshiritsu Co., Ltd.

1563 Koshibe, Oyodo Yoshino, Nara 638-0803 Japan

Attn: Akie Kawai

**Description of Samples :** Three styles of submitted sample each in two sets said to be :

 (A) LaQ HEART 35 FIRST SET JAN Code: 4952907008305
 (B) LaQ HEART 100 BASIC SET JAN Code: 4952907008299

(C) LaQ HEART 450

JAN Code: 4952907008312

Labelled Age Grading : Ages 3+

Appropriate Age Grade : Age 3 years and up Client's Requested Age Grading : Age 3 years and up Tested Age Grade : Age 3 years and up

Country of Origin : Japan

**Date Samples Received**: 2023-09-21

**Date Tested** : 2023-09-21 to 2023-10-04





**Date**: 2023-10-05 Page 2 of 43 **No.**: HP23090708

**Description of Samples:** Name of Parts:

LaQ RED No.1-7 LaQ BLUE No.1-7 LaQ YELLOW No.1-7 LaQ GREEN No.1-7 LaQ PINK No.1-7 LaQ SKY BLUE No.1-

LaQ SKY BLUE No.1-7
LaQ ORANGE No.1-7
LaQ LIME No.1-7
LaQ WHITE No.1-7
LaQ BLACK No.1-7
LaQ BROWN No.1-7
LaQ GRAY No.1-7
LaQ GRAY No.1-7

LaQ GRAT No.1-7
LaQ LAVENDER No.1-7
LaQ CLEAR No.1-7
LaQ CLEAR RED No.1-7
LaQ CLEAR BLUE No.1-7
LaQ CLEAR YELLOW No.1-7

LaQ HAMACRON CONSTRUCTOR WHEEL LaQ HAMACRON CONSTRUCTOR SHAFT

LaQ HAMACRON CONTRSUCTOR MIDDLE SIZE WHEEL

LaQ HAMACRON CONSTRUCTOR LONG SHAFT LaQ HAMACRON CONSTRUCTOR MINI WHEEL LaQ HAMACRON CONSTRUCTOR MINI SHAFT

LaQ BALL JOINT A and B

LaQ CROSS PART RED, YELLOW, WHITE, BLACK

LaQ PAX RED No.1 and No. 2 LaQ PAX YELLOW No.1 and No. 2 LaQ PAX BLUE No.1 and No. 2 LaQ PAX GREEN No.1 and No. 2

LaQ PARTS REMOVER LaQ BLISTER CASE BLUE LaQ BLISTER CASE PINK

LaQ PLASTIC CONTAINER (SMALL) LaQ PLASTIC CONT AINER (LARGE)

LaQ CASE WHITE (SMALL)

WONG Wing-cheung, Benny Authorized Signatory



**Date**: 2023-10-05 Page 3 of 43 **No.**: HP23090708

			Total Mann	Dagult
<b>Test Requested</b>	:	I.	<u>Test Item</u> EN71 : Part 1 : 2014 + A1 : 2018 - Physical	Result Passed
rest requested	•	1.	and Mechanical Properties	1 asseu
		II.	EN71 : Part 2 : 2020 - Flammability test	Passed
		III.	EN 71-3:2019+A1:2021 - Migration of	Passed
			certain elements (Aluminium, Antimony,	
			Arsenic, Barium, Boron, Cadmium,	
			Chromium (III), Chromium (VI), Cobalt,	
			Copper, Lead, Manganese, Mercury,	
			Nickel, Selenium, Strontium, Tin, Organic	
		13.7	Tin and Zinc).	Danad
		IV.	Regulation (EC) No. 1907/2006 of the European Parliament and of the Council,	Passed
			Annex XVII, Entry 23 and its amendment	
			Regulation (EU) No. 494/2011 and No.	
			835/2012	
			- Cadmium content (formerly Directive	
			91/338/EEC)	
		V.	European Regulation (EU) No.	Passed
			1907/2006(REACH) Annex XVII Entry 51	
			& 52 and its amendment Commission	
			Regulation (EU) 2018/2005  — Phthalate content.	
		VI.	ASTM F963-17	
		V 1.	- Physical and Mechanical Tests	Passed
			- Flammability Test	Passed
			- Heavy Elements Test (Clause 4.3.5)	Passed
		VII.	Lead content in accordance with U.S.	Passed
			Consumer Product Safety Improvement Act	
			of 2008 - Sec. 101 : Children's Products	
			Containing Lead; Lead Paint Rule	
		VIII.	Phthalates content as required by section	Passed
			108, USA Consumer Product Safety	
			Improvement Act and 16 CFR 1307 and 15	
			U.S. Code § 2057c.	

WONG Wing-cheung, Benny Authorized Signatory



**Date**: 2023-10-05 Page 4 of 43 **No.**: HP23090708

Test Requested: IX. Total lead content in accordance with Passed

California Proposition 65.

X. Phthalates content in accordance with Passed

California Proposition 65.

**Test Result** : Refer to the result pages for details.



**Date**: 2023-10-05 Page 5 of 43 **No.**: HP23090708

#### **Test Results:**

#### I. EN71: Part 1: 2014 + A1: 2018

<u>Applicable</u>	<u>Description</u>	Result
<u>clause</u>		
4	General requirements	
4.1	Material cleanliness	Pass
4.7	Edges	Pass
4.8	Points and metallic wires	Pass
6	Packaging	Pass
7	Warnings, markings and instructions for use	*1,*2
7.1	General	Pass

- The manufacturer or his authorized representative or the importer into the community shall affix the CE marking as given in Regulation (EC) No 765/2008 of 9 July 2008 as declaration of presumption of conformity with the essential safety requirements of the European Council Directive 2009/48/EC of 18 June 2009 on the safety of toys.
- \*2= The manufacturer or his authorized representative or the importer into the community shall in a visible, easily legible and indelible form affix his name and/or trade name and/or mark and address on the toy or on its packaging.

Note: For numerical result with upper[lower] limit, compliance is deemed to occur if the measured result is under[above] the upper[lower] limit, even when extended upwards [downwards]by the expanded uncertainty with 95% coverage probability.

#### II. EN71: Part 2: 2020

<u>Applicable</u>	<u>Title/Description</u>	Result
<u>clause</u>		
4.1	General requirements	Pass

Note: No cellulose nitrate and material with same behaviour in fire was detected.

Note: For numerical result with upper[lower] limit, compliance is deemed to occur if the measured result is under[above] the upper[lower] limit, even when extended upwards [downwards]by the expanded uncertainty with 95% coverage probability.



**Date**: 2023-10-05 Page 6 of 43

**No.** : HP23090708

### III. <u>EN 71-3:2019+A1:2021</u>

Test Method: Heavy element analysis was determined by Inductively Coupled Plasma Spectrometry (ICP-OES) and/or Inductively Coupled Plasma Mass Spectrometry (ICP-MS) and/or Gas Chromatography Mass Spectrometry (GCMS).

Category III – Scraped-off toy material

Element	Migration limit (mg/kg)	Result (mg/kg)					
	(mg/kg)			San	nple		
		1	2	3	4	5	6
Aluminium (Al)	28130	ND	ND	ND	ND	ND	ND
Antimony (Sb)	560	ND	ND	ND	ND	ND	ND
Arsenic (As)	47	ND	ND	ND	ND	ND	ND
Barium (Ba)	18,750	ND	ND	ND	ND	ND	ND
Boron (B)	15,000	ND	ND	ND	ND	ND	ND
Cadmium (Cd)	17	0.058	ND	ND	ND	ND	ND
Chromium (III)	460	0.058	BL	BL	BL	BL	BL
Chromium (VI)	0.053	ND	BL	BL	BL	BL	BL
Cobalt (Co)	130	ND	ND	ND	ND	ND	ND
Copper (Cu)	7,700	ND	ND	ND	ND	ND	ND
Lead (Pb)	23	ND	ND	ND	ND	ND	ND
Manganese (Mn)	15,000	ND	ND	ND	ND	ND	ND
Mercury (Hg)	94	ND	ND	ND	ND	ND	ND
Nickel (Ni)	930	ND	ND	ND	ND	ND	ND
Selenium (Se)	460	ND	ND	ND	ND	ND	ND
Strontium (Sr)	56,000	ND	ND	ND	ND	ND	ND
Tin (Sn)	180,000	ND	ND	ND	ND	ND	ND
Organic tin <sup>#</sup>	12	ND	ND	ND	ND	ND	ND
Zinc (Zn)	46,000	ND	ND	ND	ND	ND	ND



**Date**: 2023-10-05 Page 7 of 43

**No.** : HP23090708

### III. <u>EN 71-3:2019+A1:2021</u>

Test Method: Heavy element analysis was determined by Inductively Coupled Plasma Spectrometry (ICP-OES) and/or Inductively Coupled Plasma Mass Spectrometry (ICP-MS) and/or Gas Chromatography Mass Spectrometry (GCMS).

Category III – Scraped-off toy material

Element	Migration limit (mg/kg)	Result (mg/kg) Sample
Aluminium (Al)	28130	ND
Antimony (Sb)	560	ND
Arsenic (As)	47	ND
Barium (Ba)	18,750	ND
Boron (B)	15,000	ND
Cadmium (Cd)	17	ND
Chromium (III)	460	BL
Chromium (VI)	0.053	BL
Cobalt (Co)	130	ND
Copper (Cu)	7,700	ND
Lead (Pb)	23	ND
Manganese (Mn)	15,000	ND
Mercury (Hg)	94	ND
Nickel (Ni)	930	ND
Selenium (Se)	460	ND
Strontium (Sr)	56,000	ND
Tin (Sn)	180,000	ND
Organic tin <sup>#</sup>	12	ND
Zinc (Zn)	46,000	ND

Note: • All results are in mg/kg

- < denotes less than
- $\geq$  denotes greater than or equal to
- For samples of migrated chromium content lower than migration limit of chromium (VI), no speciation test for chromium (III) and chromium (VI) were conducted. The results were derived from that of total chromium.
- For samples of migrated tin content calculated as tributyl tin lower than migration limit of organic tin, no organic tin test was conducted. Organic tin results were derived from that of total tin.
- ND = Not detected
- BL = Below Limit

The Hong Kong Standards and Testing Centre Limited
10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong

Tel: +852 2666 1888 Fax: +852 2664 4353 Email: hkstc@stc.group Website: www.stc.group

This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Limited. For Conditions of Issuance of this test report, please refer to "Conditions of Issuance of Test Reports" section or Website.



**Date**: 2023-10-05 Page 8 of 43 **No.**: HP23090708

For specification with upper limit, compliance is deemed to occur if the measured result is under the limit, even extended upwards by the expanded uncertainty with 95% coverage probability

#### III. EN 71-3:2019+A1:2021

Category III – Scraped-off toy material

Sample	Description	Sample weight
1	1 Center of Hamacron Constructor Mini Wheel : dull white ABS	
2	2 Tire of Hamacron Constructor Mini Wheel: black PE	
3	3 Center of Hamacron Constructor Mini Wheel: white POM	
4	4 LaQ case: translucent white PP	
5	5 Lid of LaQ case: white PP	
6	6 Hamacron Constructor Mini Wheel: black ABS	
7	Logo : red/yellow coating	13 mg

Note:

- The samples with sample weight less than 100 mg, were assumed to be 100 mg in calculation (except glass/ceramic/metallic materials)
- # Organic tin compounds under investigation are limited to methyltin, butyltin, dibutyltin, tributyltin, tetrabutyltin, monooctyltin, dioctyltin, dipropyltin, diphenyltin and triphenyltin. Other organic tin compounds may also be present in toys
- IV. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council, Annex XVII, Entry 23 and its amendment Regulation (EU) No. 494/2011 and No. 835/2012
  Cadmium content (formerly Directive 91/338/EEC).

Test Method: Acid digestion followed by Atomic Absorption Spectrophotometry and/or Inductively Coupled Plasma Spectrometry (ICP-OES) analysis.

#### For plastic material

	Test item
	Total Cadmium
Maximum permissible level (mg/kg)	100
Sample	
1,2,3	<5
4,5,6	<5
7	<5



**Date**: 2023-10-05 Page 9 of 43

**No.** : HP23090708

Note: • All results are in mg/kg

denotes less than denotes composite sample. The results for composite sample are calculated based on the component with the least weight.

For specification with upper limit, compliance is deemed to occur if the measured result is under the limit, even extended upwards by the expanded uncertainty with 95% coverage probability.

IV. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council, Annex XVII, Entry 23 and its amendment Regulation (EU) No. 494/2011 and No. 835/2012 - Cadmium content (formerly Directive 91/338/EEC).

Test Method: Acid digestion followed by Atomic Absorption Spectrophotometry and/or Inductively Coupled Plasma Spectrometry (ICP-OES) analysis.

Sample	Description			
1	Center of Hamacron Constructor Mini Wheel: dull white ABS			
2	Tire of Hamacron Constructor Mini Wheel: black PE			
3	Center of Hamacron Constructor Mini Wheel: white POM			
4	LaQ case: translucent white PP			
5	Lid of LaQ case: white PP			
6	Hamacron Constructor Mini Wheel: black ABS			
7	Logo : red/yellow coating			

V. European Regulation (EU) No. 1907/2006(REACH) Annex XVII Entry 51 & 52 and its amendment Commission Regulation (EU) 2018/2005 — Phthalate content.

Test Method: Phthalate analysis was determined by Gas Chromatography.

Sample	Phthalates content, %(w/w)						
	DBP	BBP	DEHP	DIBP	DNOP	DINP	DIDP
1,2,3	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
4,5,6	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
7	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Limit	Individually or in any combination of the DBP, BBP DEHP and DIBP shall not be equal to or greater than 0.1% by mass of			DIDP shall	ve total of DNO not be greater the plasticised	nan 0.1% by	
		the plastici	sed materia	ı <b>1</b> .			



**Date**: 2023-10-05 Page 10 of 43 **No.** : HP23090708

#### Remark:

- DIDP

- DBP =Di-n-butyl phthalate - BBP =Benzyl-n-butyl phthalate = Di (2-ethylhexyl) phthalate - DEHP - DIBP = Diisobutyl phthalate = Di-n-octyl phthalate - DNOP - DINP = Diisononyl phthalate

- %(w/w) = percentage weight per weight

= Diisodecyl phthalate

- Method detection limit = 0.01% (w/w)
- The requirements of DNOP, DINP and DIDP are only applicable on tested material which can be placed in the mouth by children.
- For specification with upper limit, compliance is deemed to occur if the measured result is under the limit, even extended upwards by the expanded uncertainty with 95% coverage probability.

Note: • All results are in % w/w

- % w/w denotes percentage by weight
- < denotes less than
  # denotes composite sample. The results for composite sample are</pre> calculated based on the component with the least weight.
- DEHP = Di (2-ethylhexyl) Phthalate; DBP = Dibutyl Phthalate; BBP = Butyl Benzyl Phthalate; DINP = Diisononyl Phthalate; DIDP = Diisodecyl Phthalate; DNOP = Di-n-octyl Phthalate
- V. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council, Annex XVII
  - Phthalates contents (formerly Directive 2005/84/EC)

Test Method: Phthalate analysis was determined by Gas Chromatography.

Sample	Description			
1	Center of Hamacron Constructor Mini Wheel: dull white ABS			
2 Tire of Hamacron Constructor Mini Wheel : black PE				
3	3 Center of Hamacron Constructor Mini Wheel: white POM			
4 LaQ case : translucent white PP				
<ul> <li>5 Lid of LaQ case: white PP</li> <li>6 Hamacron Constructor Mini Wheel: black ABS</li> </ul>				
		7	Logo : red/yellow coating	



**Date**: 2023-10-05 Page 11 of 43

**No.** : HP23090708

### VI. <u>ASTM F963-17</u>

#### a. Physical and Mechanical Tests

<u>Applicable</u>	Description	Result
<u>clause</u>		
4.1	Material Quality – Visual Inspection	Pass
4.2	Flammability	Pass
4.3	Toxicology	Pass
4.7	Accessible edges	Pass
	16 CFR 1500.49 Sharp metal or glass edges	
4.9	Accessible points	Pass
	16 CFR 1500.48 Sharp points	
4.12	Plastic film	Pass
5	<u>Labeling requirements</u>	
5.2	Age grading labeling	Pass
6	Instructional Literature	
6.1	Definition and description	Pass
7	Producer's markings	
7.1	Producer's markings	Pass

Remark: The sample(s) were subjected to the normal use and abuse tests in according with Clause 8.5 Normal Use Testing, 8.7 Impact test, 8.8 Torque test, 8.9 Tension test, 8.10 Compression test and 8.12 Flexure test whichever was applicable. Use and abuse test criteria:

Note: For numerical result with upper[lower] limit, compliance is deemed to occur if the measured result is under[above] the upper[lower] limit, even when extended upwards [downwards] by the expanded uncertainty with 95% coverage probability.

For Conditions of Issuance of this test report, please refer to "Conditions of Issuance of Test Reports" section or Website.



**Date**: 2023-10-05 **No.**: HP23090708

Page 12 of 43

Test	Age Category, months	Test Parameters	16 CFR Reference
Drop test	0 to 18	10 x 4.5 ft	1500.51(b)(3)
•	over 18 to 36	4 x 3 ft	1500.52(b)(3)
	over 36 to 96	4 x 3 ft	1500.53(b)(3)
Tip over test	-	3 times	1500.51/52/53 (b)(4)
Tumble test	-	2 x 4 attitudes	-
Steel ball impact test	-	50 inches	-
Torque test	0 to 18	2 in-lbf	1500.51(e)
	over 18 to 36	3 in-lbf	1500.52(e)
	over 36 to 96	4 in-lbf	1500.53(e)
Tension test	0 to 18	10 lbf	1500.51(f)
	over 18 to 36	15 lbf	1500.52(f)
	over 36 to 96	15 lbf	1500.53(f)
Compression test	0 to 18	20 lbf	1500.51(g)
	over 18 to 36	25 lbf	1500.52(g)
	over 36 to 96	30 lbf	1500.53(g)
Flexure test	0 to 18	120 x 30 cycles (10 lbf)	1500.51(d)
_	over 18 to 36	120 x 30 cycles (15 lbf)	1500.52(d)
	over 36 to 96	120 x 30 cycles (15 lbf)	1500.53(d)

### b. Flammability Test

	Description	Result
<u>clause</u>		
4.2	Flammability	Pass
	Materials other than textiles (16 CFR 1500.3 (c) (6)	
	(vi)) Test method : Annex A5 (16 CFR 1500.44)	



**Date**: 2023-10-05 Page 13 of 43 **No.**: HP23090708

VI. ASTM F963-17

Heavy element (in composite condition) Ref.: ASTM F963-17 Section 4.3.5 Method: ASTM F963-17 Section 8.3

Determined by: Inductively Coupled Argon Plasma Atomic Emission

Spectrophotometer

	Test Item
	Total Lead
Permissible Limit (ppm)	100
Sample	
1,2,3	<10
4,5,6	<10

#### Note:

- All results are in ppm
- \( \left\) denotes less than \( \text{denotes} \)
- "denotes composite sample. The results for composite sample are calculated based on the component with the least weight.
- For specification with upper limit, compliance is deemed to occur if the measured result is under the limit, even extended upwards by the expanded uncertainty with 95% coverage probability.

### VI. ASTM F963-17

Heavy element

Ref.: ASTM F963-17 Section 4.3.5 Method: ASTM F963-17 Section 8.3

Determined by: Inductively Coupled Argon Plasma Atomic Emission

Spectrophotometer

Sample	Description
1	Center of Hamacron Constructor Mini Wheel: dull white ABS
2	Tire of Hamacron Constructor Mini Wheel: black PE
3	Center of Hamacron Constructor Mini Wheel: white POM
4	LaQ case : translucent white PP
5	Lid of LaQ case : white PP
6	Hamacron Constructor Mini Wheel: black ABS



**Date**: 2023-10-05 Page 14 of 43 **No.** : HP23090708

VI. ASTM F963-17

Heavy element

Ref.: ASTM F963-17 Section 4.3.5 Method: ASTM F963-17 Section 8.3

Determined by: Inductively Coupled Argon Plasma Atomic Emission

Spectrophotometer

	Test Item
	Total Lead
Permissible Limit (ppm)	90
Sample	
1	<10

#### Note:

- All results are in ppm
- denotes less than
   denotes composite sample. The results for composite sample are calculated based on the component with the least weight.
- For specification with upper limit, compliance is deemed to occur if the measured result is under the limit, even extended upwards by the expanded uncertainty with 95% coverage probability.

#### VI. ASTM F963-17

Heavy element

Ref.: ASTM F963-17 Section 4.3.5 Method: ASTM F963-17 Section 8.3

Determined by: Inductively Coupled Argon Plasma Atomic Emission

Spectrophotometer

Sample	Description
1	Logo : red/yellow coating



**Date**: 2023-10-05 **No.**: HP23090708

Page 15 of 43

VI. ASTM F963-17

Heavy element

Ref.: ASTM F963-17 Section 4.3.5 Method: ASTM F963-17 Section 8.3

Determined by: Inductively Coupled Argon Plasma Atomic Emission

Spectrophotometer

	Test Item								
	As	Hg	Se	Cd	Sb	Pb	Cr	Ba	
Maximum Permissible Level (ppm)	25	60	500	75	60	90	60	1000	
Sample									
1	<5	<5	<5	<5	<5	<5	<5	<20	
2	<5	<5	<5	<5	<5	<5	<5	<20	
3	<5	<5	<5	<5	<5	<5	<5	<20	
4	<5	<5	<5	<5	<5	<5	<5	< 20	
5	<5	<5	<5	<5	<5	<5	<5	<20	
6	<5	<5	<5	<5	<5	<5	<5	<20	
7	<5	<5	<5	<5	<5	<5	<5	<20	

Note: • All results are in ppm

- ppm denotes part per million by weight
- < denotes less than
- $\geq$  denotes greater than or equal to
- As = Arsenic; Hg = Mercury; Se = Selenium; Cd = Cadmium; Sb = Antimony; Pb = Lead; Cr = Chromium; Ba = Barium
- For specification with upper limit, compliance is deemed to occur if the measured result is under the limit, even extended upwards by the expanded uncertainty with 95% coverage probability.



**Date**: 2023-10-05 Page 16 of 43

**No.** : HP23090708

VI. <u>ASTM F963-17</u>

Heavy element

Ref.: ASTM F963-17 Section 4.3.5 Method: ASTM F963-17 Section 8.3

Determined by: Inductively Coupled Argon Plasma Atomic Emission

Spectrophotometer

Sample	Description	Sample weight
1	Center of Hamacron Constructor Mini Wheel: dull white ABS	≥100 mg
2	Tire of Hamacron Constructor Mini Wheel: black PE	≥100 mg
3	Center of Hamacron Constructor Mini Wheel: white POM	≥100 mg
4	LaQ case: translucent white PP	≥100 mg
5	Lid of LaQ case: white PP	≥100 mg
6	Hamacron Constructor Mini Wheel: black ABS	≥100 mg
7	Logo: red/yellow coating	13 mg

### VII. Children's products containing lead - Total lead content in substrate

(in composite condition)

Ref.: CPSIA Sec 101(a) and 15 U.S. Code § 1278a.

Test method: Standard operation procedure for determining total lead (Pb) in

non-metal children's products, CPSC-CH-E1002-08.3

Test method: Standard operation procedure for determining total lead (Pb) in metal

children's products, CPSC-CH-E1001-08.3

Determined by: Inductively Coupled Argon Plasma Atomic Emission

Spectrophotometer

#### For materials and substrate

	Test Item
	Total Lead
Permissible Limit (mg/kg)	100
Sample	
1,2,3	<10
4,5,6	<10

Note: • All results are in mg/kg

- < denotes less than
- denotes composite sample. The results for composite sample are calculated based on the component with the least weight.



**Date**: 2023-10-05 **No.**: HP23090708

Page 17 of 43

 For specification with upper limit, compliance is deemed to occur if the measured result is under the limit, even extended upwards by the expanded uncertainty with 95% coverage probability.

VII. Children's products containing lead - Total lead content in substrate

Ref.: CPSIA Sec 101(a) and 15 U.S. Code § 1278a.

Test method: Standard operation procedure for determining total lead (Pb) in

non-metal children's products, CPSC-CH-E1002-08.3

Test method: Standard operation procedure for determining total lead (Pb) in metal

children's products, CPSC-CH-E1001-08.3

Determined by: Inductively Coupled Argon Plasma Atomic Emission

Spectrophotometer

Sample	Description
1	Center of Hamacron Constructor Mini Wheel : dull white ABS
2	Tire of Hamacron Constructor Mini Wheel: black PE
3	Center of Hamacron Constructor Mini Wheel: white POM
4	LaQ case : translucent white PP
5	Lid of LaQ case : white PP
6	Hamacron Constructor Mini Wheel : black ABS

VII. Children's products containing lead - Total lead content in paint and surface coating

Ref.: CPSIA Sec. 101 (f), 16 CFR 1303 and 15 U.S. Code § 1278a.

Test method: CPSC-CH-E 1003-09.1

Determined by: Inductively Coupled Argon Plasma Atomic Emission

Spectrophotometer

#### For surface coating

	Test Item
	Total Lead
Permissible Limit (mg/kg)	90
Sample	
1	<10

Note : • All results are in mg/kg

- < denotes less than
- #denotes composite sample. The results for composite sample are calculated based on the component with the least weight.

The Hong Kong Standards and Testing Centre Limited 10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong



**Date**: 2023-10-05 Page 18 of 43

**No.** : HP23090708

• For specification with upper limit, compliance is deemed to occur if the measured result is under the limit, even extended upwards by the expanded uncertainty with 95% coverage probability.

VII. Children's products containing lead - Total lead content in paint and surface coating

Ref.: CPSIA Sec. 101 (f), 16 CFR 1303 and 15 U.S. Code § 1278a.

Test method: CPSC-CH-E 1003-09.1

Determined by: Inductively Coupled Argon Plasma Atomic Emission

Spectrophotometer

Sample	Description
1	Logo : red/yellow coating

VIII. Phthalates content (in composite condition)

Ref.: CPSIA Sec. 108 & 16 CFR 1307 and 15 U.S. Code § 2057c.

Test method: CPSC-CH-C1001-09.4 by Gas Chromatography with Mass Selective

Detector

Sample No.		Phthalates content, %(w/w)										
	DBP	DBP BBP DEHP DINP DHEXP DIBP DPENP DCHP DNOP DIDP										
1,2,3	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01		
4,5,6	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01		
7	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01		
Limit	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	See Note			

#### Remark:

**DBP** =Di-n-butyl phthalate **BBP** =Benzyl-n-butyl phthalate **DEHP** = Di (2-ethylhexyl) phthalate = Di-n-octyl phthalate **DNOP** DINP = Diisononyl phthalate = Diisodecyl phthalate DIDP =Di-n-hexyl phthalate DHEXP =Diisobutyl phthalate **DIBP DPENP** =Di-n-pentyl phthalate =Dicyclohexyl phthalate **DCHP** %(w/w) =percentage weight per weight

Note: The results of DNOP and DIDP are for reference only.



**Date**: 2023-10-05 Page 19 of 43

**No.** : HP23090708

Note: • All results are in % w/w

• % w/w denotes percentage by weight

• < denotes less than

• # denotes composite sample. The results for composite sample are calculated based on the component with the least weight

 For specification with upper limit, compliance is deemed to occur if the measured result is under the limit, even extended upwards by the expanded uncertainty with 95% coverage probability.

#### VIII. Phthalates content

Ref.: CPSIA Sec. 108 & 16 CFR 1307 and 15 U.S. Code § 2057c.

Test method: CPSC-CH-C1001-09.4 by Gas Chromatography with Mass Selective

Detector

Sample	Description
1	Center of Hamacron Constructor Mini Wheel: dull white ABS
2	Tire of Hamacron Constructor Mini Wheel: black PE
3	Center of Hamacron Constructor Mini Wheel: white POM
4	LaQ case : translucent white PP
5	Lid of LaQ case: white PP
6	Hamacron Constructor Mini Wheel: black ABS
7	Logo : red/yellow coating

#### IX. <u>California Proposition 65: Lead content</u> (in composite condition)

Ref.: Proposition 65 list of chemicals.

Determined by: Inductively Coupled Argon Plasma Atomic Emission Spectrophotometer

#### For materials and substrate

	Test Item
	Total Lead
Permissible Limit (mg/kg)	100
Sample	
1,2,3	<10
4,5,6	<10

Note :  $\bullet$  All results are in mg/kg

- < denotes less than
- denotes composite sample. The results for composite sample are calculated based on the component with the least weight.

The Hong Kong Standards and Testing Centre Limited 10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong



**Date**: 2023-10-05 **No.**: HP23090708

Page 20 of 43

• For specification with upper limit, compliance is deemed to occur if the measured result is under the limit, even extended upwards by the

expanded uncertainty with 95% coverage probability.

### IX. California Proposition 65: Lead content

Ref.: Proposition 65 list of chemicals.

Determined by: Inductively Coupled Argon Plasma Atomic Emission Spectrophotometer

Sample	Description
1	Center of Hamacron Constructor Mini Wheel: dull white ABS
2	Tire of Hamacron Constructor Mini Wheel : black PE
3	Center of Hamacron Constructor Mini Wheel: white POM
4	LaQ case : translucent white PP
5	Lid of LaQ case : white PP
6	Hamacron Constructor Mini Wheel : black ABS

### IX. California Proposition 65: Lead content

Ref.: Proposition 65 list of chemicals.

Determined by: Inductively Coupled Argon Plasma Atomic Emission Spectrophotometer

### For surface coating

	Test Item
	Total Lead
Permissible Limit (mg/kg)	90
Sample	
1	<10

Note: • All results are in mg/kg

- < denotes less than
- #denotes composite sample. The results for composite sample are calculated based on the component with the least weight.
- For specification with upper limit, compliance is deemed to occur if the measured result is under the limit, even extended upwards by the expanded uncertainty with 95% coverage probability.



**Date**: 2023-10-05 Page 21 of 43

**No.** : HP23090708

IX. California Proposition 65: Lead content

Ref.: Proposition 65 list of chemicals.

Determined by: Inductively Coupled Argon Plasma Atomic Emission Spectrophotometer

Sample	Description
1	Logo : red/yellow coating

X. <u>California Proposition 65: Phthalates content</u> (in composite condition)

Ref.: Proposition 65 list of chemicals.

Determined by: Gas Chromatography Mass Spectrometer

Sample No	Phthalates content, %(w/w)					
Sample No.	DBP	BBP	DEHP	DNHP	DINP	DIDP
1,2,3	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
4,5,6	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
7	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Limit	0.1	0.1	0.1	0.1	0.1	0.1

#### Remark:

- Method detection limit = 0.01%(w/w)
- %(w/w) =percentage weight per weigh
- The above limit was quoted from the requirement stated in Alameda Superior Court, BG-07-350969.
- DBP = Di-n-butyl phthalate
   BBP = Benzyl-n-butyl phthalate
- DEHP = Di (2-ethylhexyl) phthalate
- DNHP = Di-n-hexyl phthalate
- DINP = Diisononyl phthalate
   DIDP = Diisodecyl phthalate
- For specification with upper limit, compliance is deemed to occur if the measured result is under the limit, even extended upwards by the expanded uncertainty with 95% coverage probability.

Note: • All results are in % w/w

- % w/w denotes percentage by weight
- < denotes less than
- # denotes composite sample. The results for composite sample are calculated based on the component with the least weight
- For specification with upper limit, compliance is deemed to occur if the measured result is under the limit, even extended upwards by the expanded uncertainty with 95% coverage probability.



**Date**: 2023-10-05 Page 22 of 43 **No.**: HP23090708

X. <u>California Proposition 65: Phthalates content</u>

Ref.: Proposition 65 list of chemicals.

Determined by: Gas Chromatography Mass Spectrometer

Sample	Description
1	Center of Hamacron Constructor Mini Wheel: dull white ABS
2	Tire of Hamacron Constructor Mini Wheel: black PE
3	Center of Hamacron Constructor Mini Wheel: white POM
4	LaQ case: translucent white PP
5	Lid of LaQ case: white PP
6	Hamacron Constructor Mini Wheel: black ABS
7	Logo: red/yellow coating



**Date**: 2023-10-05 Page 23 of 43 **No.**: HP23090708


### **Appendix for Photos of the Submitted Sample**





**Date**: 2023-10-05 **No.**: HP23090708

Page 24 of 43





**Date**: 2023-10-05 **No.**: HP23090708

Page 25 of 43





**Date**: 2023-10-05 **No.**: HP23090708

Page 26 of 43





**Date**: 2023-10-05 Page 27 of 43




For Conditions of Issuance of this test report, please refer to "Conditions of Issuance of Test Reports" section or Website.




**Date**: 2023-10-05 **No.**: HP23090708

Page 28 of 43






**Date**: 2023-10-05 Page 29 of 43





**Date**: 2023-10-05 Page 30 of 43





**Date**: 2023-10-05 **No.**: HP23090708

Page 31 of 43





**Date**: 2023-10-05 **No.**: HP23090708

Page 32 of 43





**Date**: 2023-10-05 Page 33 of 43





**Date**: 2023-10-05 Page 34 of 43 **No.**: HP23090708






**Date**: 2023-10-05 Page 35 of 43 **No.**: HP23090708



For Conditions of Issuance of this test report, please refer to "Conditions of Issuance of Test Reports" section or Website.



**Date**: 2023-10-05 Page 36 of 43 **No.**: HP23090708





**Date**: 2023-10-05 **No.**: HP23090708


Page 37 of 43





**Date**: 2023-10-05 **No.**: HP23090708

Page 38 of 43





**Date**: 2023-10-05 Page 39 of 43





**Date**: 2023-10-05 **No.**: HP23090708

Page 40 of 43







**Date**: 2023-10-05 **No.**: HP23090708

Page 41 of 43





**Date**: 2023-10-05 Page 42 of 43 **No.**: HP23090708





**Date**: 2023-10-05 Page 43 of 43 **No.**: HP23090708



\*\*\*\*\* End of Test Report \*\*\*\*\*

### **Conditions of Issuance of Test Reports**

- 1. All samples and goods are accepted by The Hong Kong Standards & Testing Centre Limited (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The Company provides its services on the basis that such terms and conditions constitute express agreement between the Company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by the Company as a result of this application for testing service (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to his customer, supplier or other persons directly concerned. Subject to clause 3, the Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall be at liberty to disclose the testing-related documents and/or files anytime to any third-party accreditation and/or recognition bodies for audit or other related purposes. No liabilities whatsoever shall attach to the Company's act of disclosure.
- 4. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 5. The results in Report apply only to the sample as received and do not apply to the bulk, unless the sampling has been carried out by the Company and is stated as such in the Report.
- 6. When a statement of conformity to a specification or standard is provided, the ILAC-G8 Guidance document (and/or IEC Guide 115 in the electrotechnical sector) will be adopted as a decision rule for the determination of conformity unless it is inherent in the requested specification or standard, or otherwise specified in the Report.
- 7. In the event of the improper use the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 8. Sample submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 9. The Company will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
- 10. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 11. Subject to the variable length of retention time for test data and report stored hereinto as to otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of this test report for a period of three years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after the retention period. Under no circumstances shall we be liable for damages of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.
- 12. Issuance records of the Report are available on the internet at www.stc.group. Further enquiry of validity or verification of the Reports should be addressed to the Company.