

Date: 2021-07-26 Page 1 of 77 **No.**: HP21070145

Applicant : Yoshiritsu Co., Ltd.

1563 Koshibe, Oyodo Yoshino, Nara 638-0803 Japan

Attn: Mo Ohkubo

Description of Samples: One box of submitted sample(s) said to be:

Name of Parts: LaQ RED No.1-7 LaQ BLUE No.1-7 LaQ YELLOW No.1-7 LaQ GREEN No.1-7 LaQ PINK No.1-7 LaQ SKY BLUE No.1-

LaQ GREEN No.1-7
LaQ PINK No.1-7
LaQ SKY BLUE No.1-7
LaQ ORANGE No.1-7
LaQ LIME No.1-7
LaQ WHITE No.1-7
LaQ BLACK No.1-7
LaQ BROWN No.1-7
LaQ GRAY No.1-7
LaQ CLEAR No.1-7
LaQ CLEAR RED No.1-7
LaQ CLEAR BLUE No.1-7
LaQ CLEAR YELLOW No.1-7

LaQ HAMACRON CONSTRUCTOR WHEEL LaQ HAMACRON CONSTRUCTOR SHAFT

LaQ HAMACRON CONTRSUCTOR MIDDLE SIZE WHEEL

LaQ HAMACRON CONSTRUCTOR LONG SHAFT LaQ HAMACRON CONSTRUCTOR MINI WHEEL LaQ HAMACRON CONSTRUCTOR MINI SHAFT

LaQ BALL JOINT A and B

LaQ CROSS PART BLISTER CASE BLUE BLISTER CASE PINK

PLASTIC CONTAINER (SMALL) PLASTIC CONTAINER (LARGE)





Date: 2021-07-26 Page 2 of 77 **No.**: HP21070145

Description of Samples: <u>Item Name</u>

(A) LaQ BASIC 2800

JAN Code: 4952907006400

(B) LaQ BASIC 5600

JAN Code: 4952907006417

(C) LaQ BLUE DRAGON

JAN Code: 4952907007285

(D) LaQ CRYSTAL 200

JAN Code: 4952907007278

(E) LaQ HAMACRON CONSTRUCTOR FIRE STATION

JAN Code: 4952907006974

(F) LaQ HAMACRON CONSTRUCTOR RACERS

JAN Code: 4952907007261

(G) LaQ SWEET COLLECTION MINI LAVENDER

JAN Code: 4952907007254

Labelled Age Grading : Item A, B, D, F, G : Age 5

years and up

Item E : Age 7 years and up Item G : Age 10 years and up

Appropriate Age Grade : Age 5 years and up Client's Requested Age Grading : Age 5 years and up

Client's Requested Age Grading
Tested Age Grade
: Age 5 years and up
: Age 5 years and up

Country of Origin : Japan

Date Samples Received : 2021-07-07 and 2021-07-20

Date Tested : 2021-07-07 to 2021-07-21

Test Item Result

Test Requested : I. EN71 : Part 1 : 2014 + A1 : 2018 - Physical Passed

and Mechanical Properties

II. EN71 : Part 2 : 2020 - Flammability test Passed

WONG Wing-cheung, Benny Authorized Signatory



Date: 2021-07-26 Page 3 of 77 **No.**: HP21070145

Toot Itom

	<u>Test Item</u>	Result
III.	EN71 : Part 3 : 2019 - Migration of certain	Passed
	elements (Aluminium, Antimony, Arsenic,	
	Barium, Boron, Cadmium, Chromium (III),	
	Chromium (VI), Cobalt, Copper, Lead,	
	Manganese, Mercury, Nickel, Selenium,	
	Strontium, Tin, Organic Tin and Zinc).	
IV.	Regulation (EC) No. 1907/2006 of the	Passed
	European Parliament and of the Council,	
	Annex XVII, Entry 23 and its amendment	
	Regulation (EU) No. 494/2011 and No.	
	835/2012	
	- Cadmium content (formerly Directive	
	91/338/EEC)	
V.	European Regulation (EU) No.	Passed
	1907/2006(REACH) Annex XVII Entry 51	
	& 52 and its amendment Commission	
	Regulation (EU) 2018/2005	
	—Phthalate content.	
VI.	ASTM F963-17	
	- Physical and Mechanical Tests	Passed
	- Flammability Test	Passed
	- Heavy Elements Test (Clause 4.3.5)	Passed
VII.	Lead content in accordance with U.S.	Passed
	Consumer Product Safety Improvement Act	
	of 2008 - Sec. 101: Children's Products	
	Containing Lead; Lead Paint Rule	
VIII.	Phthalates content as required by section	Passed
	108, USA Consumer Product Safety	
	Improvement Act and 16 CFR 1307 and 15	
	U.S. Code § 2057c.	

D coult

Test Result : Refer to the result pages for details.

WONG Wing-cheung, Benny Authorized Signatory



Date: 2021-07-26 Page 4 of 77 **No.**: HP21070145

Test Results:

I. EN71: Part 1: 2014 + A1: 2018 (For items A, B, C, D, E, F, G)

<u>Applicable</u>	Description	Result
<u>clause</u>		
4	General requirements	
4.1	Material cleanliness	Pass
4.7	Edges	Pass
4.8	Points and metallic wires	Pass
6	Packaging	Pass
7	Warnings, markings and instructions for use	*1
7.1	General	Pass
7.2	Toys not intended for children under 36 months	Pass

*1 = The manufacturer or his authorized representative or the importer into the community shall in a visible, easily legible and indelible form affix his name and/or trade name and/or mark and address on the toy or on its packaging.

Note: For numerical result with upper[lower] limit, compliance is deemed to occur if the measured result is under[above] the upper[lower] limit, even when extended upwards [downwards]by the expanded uncertainty with 95% coverage probability.

II. EN71: Part 2: 2020

<u>Applicable</u>	<u>Title/Description</u>	Result
<u>clause</u>		
4.1	General requirements	Pass

Note: No cellulose nitrate and material with same behaviour in fire was detected.

Note: For numerical result with upper[lower] limit, compliance is deemed to occur if the measured result is under[above] the upper[lower] limit, even when extended upwards [downwards]by the expanded uncertainty with 95% coverage probability.



Date: 2021-07-26 Page 5 of 77

No. : HP21070145

III. <u>EN 71 : Part 3 : 2019</u>

Test Method: Heavy element analysis was determined by Inductively Coupled Plasma Spectrometry (ICP-OES) and/or Inductively Coupled Plasma Mass Spectrometry (ICP-MS) and/or Gas Chromatography Mass Spectrometry (GCMS).

Element	Migration limit	Result (mg/kg)							
Liement	(mg/kg)		Sample						
		1	2	3	4	5	6		
Aluminium (Al)	28130*	6	10	ND	ND	ND	ND		
Antimony (Sb)	560	ND	ND	ND	ND	ND	ND		
Arsenic (As)	47	ND	ND	ND	ND	ND	ND		
Barium (Ba)	18,750	ND	ND	ND	ND	ND	ND		
Boron (B)	15,000	ND	ND	ND	ND	ND	ND		
Cadmium (Cd)	17	ND	ND	ND	ND	ND	ND		
Chromium (III)	460	0.142	0.076	BL	BL	BL	BL		
Chromium (VI)	0.053	0.027	ND	BL	BL	BL	BL		
Cobalt (Co)	130	12	ND	ND	ND	ND	ND		
Copper (Cu)	7,700	ND	ND	ND	ND	ND	ND		
Lead (Pb)	23	ND	ND	ND	ND	ND	ND		
Manganese (Mn)	15,000	15	7	ND	ND	ND	ND		
Mercury (Hg)	94	ND	ND	ND	ND	ND	ND		
Nickel (Ni)	930	ND	ND	ND	ND	ND	ND		
Selenium (Se)	460	ND	ND	ND	ND	ND	ND		
Strontium (Sr)	56,000	42	36	ND	ND	ND	ND		
Tin (Sn)	180,000	ND	ND	ND	ND	ND	ND		
Organic tin [#]	12	ND	ND	ND	ND	ND	ND		
Zinc (Zn)	46,000	NDs	ND	ND	ND	ND	ND		



Date: 2021-07-26 Page 6 of 77

No. : HP21070145

III. <u>EN 71 : Part 3 : 2019</u>

Test Method: Heavy element analysis was determined by Inductively Coupled Plasma Spectrometry (ICP-OES) and/or Inductively Coupled Plasma Mass Spectrometry (ICP-MS) and/or Gas Chromatography Mass Spectrometry (GCMS).

El .	Migration limit	Result (mg/kg)						
Element	(mg/kg)	Sample						
		7 8 9 10 11 12						
Aluminium (Al)	28130*	ND	ND	ND	ND	ND	ND	
Antimony (Sb)	560	ND	ND	ND	ND	ND	ND	
Arsenic (As)	47	ND	ND	ND	ND	ND	ND	
Barium (Ba)	18,750	ND	ND	ND	ND	ND	ND	
Boron (B)	15,000	ND	ND	ND	ND	ND	ND	
Cadmium (Cd)	17	ND	ND	ND	ND	ND	ND	
Chromium (III)	460	BL	BL	BL	BL	BL	BL	
Chromium (VI)	0.053	BL	BL	BL	BL	BL	BL	
Cobalt (Co)	130	ND	ND	ND	ND	ND	ND	
Copper (Cu)	7,700	ND	ND	ND	ND	ND	ND	
Lead (Pb)	23	ND	ND	ND	ND	ND	ND	
Manganese (Mn)	15,000	ND	ND	ND	ND	ND	ND	
Mercury (Hg)	94	ND	ND	ND	ND	ND	ND	
Nickel (Ni)	930	ND	ND	ND	ND	ND	ND	
Selenium (Se)	460	ND	ND	ND	ND	ND	ND	
Strontium (Sr)	56,000	ND	ND	ND	ND	ND	ND	
Tin (Sn)	180,000	ND	ND	ND	ND	ND	ND	
Organic tin [#]	12	ND	ND	ND	ND	ND	ND	
Zinc (Zn)	46,000	ND	ND	ND	ND	ND	ND	



Date: 2021-07-26 Page 7 of 77

No. : HP21070145

III. <u>EN 71 : Part 3 : 2019</u>

Test Method: Heavy element analysis was determined by Inductively Coupled Plasma Spectrometry (ICP-OES) and/or Inductively Coupled Plasma Mass Spectrometry (ICP-MS) and/or Gas Chromatography Mass Spectrometry (GCMS).

Element	Migration limit	Result (mg/kg)					
	(mg/kg)			San	nple		
		13	14	15	16	17	18
Aluminium (Al)	28130*	ND	ND	ND	ND	ND	ND
Antimony (Sb)	560	ND	ND	ND	ND	ND	ND
Arsenic (As)	47	ND	ND	ND	ND	ND	ND
Barium (Ba)	18,750	ND	ND	ND	ND	ND	ND
Boron (B)	15,000	ND	ND	ND	ND	ND	ND
Cadmium (Cd)	17	ND	ND	ND	ND	ND	ND
Chromium (III)	460	BL	BL	BL	BL	BL	BL
Chromium (VI)	0.053	BL	BL	BL	BL	BL	BL
Cobalt (Co)	130	ND	ND	ND	ND	ND	ND
Copper (Cu)	7,700	ND	ND	ND	ND	ND	ND
Lead (Pb)	23	ND	ND	ND	ND	ND	ND
Manganese (Mn)	15,000	ND	ND	ND	ND	ND	ND
Mercury (Hg)	94	ND	ND	ND	ND	ND	ND
Nickel (Ni)	930	ND	ND	ND	ND	ND	ND
Selenium (Se)	460	ND	ND	ND	ND	ND	ND
Strontium (Sr)	56,000	ND	ND	ND	ND	ND	ND
Tin (Sn)	180,000	ND	ND	ND	ND	ND	ND
Organic tin [#]	12	0.4	ND	ND	ND	0.4	ND
Zinc (Zn)	46,000	ND	ND	ND	ND	ND	ND



Date: 2021-07-26 Page 8 of 77

No. : HP21070145

III. <u>EN 71 : Part 3 : 2019</u>

Test Method: Heavy element analysis was determined by Inductively Coupled Plasma Spectrometry (ICP-OES) and/or Inductively Coupled Plasma Mass Spectrometry (ICP-MS) and/or Gas Chromatography Mass Spectrometry (GCMS).

Element	Migration limit	Result (mg/kg)							
	(mg/kg)	Sample							
		19	20	21	22	23	24		
Aluminium (Al)	28130*	ND	ND	ND	ND	ND	ND		
Antimony (Sb)	560	ND	ND	ND	ND	ND	ND		
Arsenic (As)	47	ND	ND	ND	ND	ND	ND		
Barium (Ba)	18,750	ND	ND	ND	ND	ND	ND		
Boron (B)	15,000	ND	ND	ND	ND	ND	ND		
Cadmium (Cd)	17	ND	ND	ND	ND	ND	ND		
Chromium (III)	460	BL	BL	BL	BL	BL	BL		
Chromium (VI)	0.053	BL	BL	BL	BL	BL	BL		
Cobalt (Co)	130	ND	ND	ND	ND	ND	ND		
Copper (Cu)	7,700	ND	ND	ND	ND	ND	ND		
Lead (Pb)	23	ND	ND	ND	ND	ND	ND		
Manganese (Mn)	15,000	ND	ND	ND	ND	ND	ND		
Mercury (Hg)	94	ND	ND	ND	ND	ND	ND		
Nickel (Ni)	930	ND	ND	ND	ND	ND	ND		
Selenium (Se)	460	ND	ND	ND	ND	ND	ND		
Strontium (Sr)	56,000	ND	ND	ND	ND	ND	ND		
Tin (Sn)	180,000	ND	ND	ND	ND	ND	ND		
Organic tin [#]	12	0.4	ND	ND	ND	0.3	0.4		
Zinc (Zn)	46,000	ND	ND	ND	ND	ND	ND		



Date: 2021-07-26 Page 9 of 77

No. : HP21070145

III. <u>EN 71 : Part 3 : 2019</u>

Test Method: Heavy element analysis was determined by Inductively Coupled Plasma Spectrometry (ICP-OES) and/or Inductively Coupled Plasma Mass Spectrometry

(ICP-MS) and/or Gas Chromatography Mass Spectrometry (GCMS).

Category III - Scraped-off toy material

Element	Migration limit	Result (mg/kg)							
	(mg/kg)	Sample							
		25	26	27	28	29	30		
Aluminium (Al)	28130*	ND	ND	ND	ND	ND	ND		
Antimony (Sb)	560	ND	ND	ND	ND	ND	ND		
Arsenic (As)	47	ND	ND	ND	ND	ND	ND		
Barium (Ba)	18,750	ND	ND	ND	ND	ND	ND		
Boron (B)	15,000	ND	ND	ND	ND	ND	ND		
Cadmium (Cd)	17	ND	ND	ND	ND	ND	ND		
Chromium (III)	460	BL	BL	BL	BL	BL	BL		
Chromium (VI)	0.053	BL	BL	BL	BL	BL	BL		
Cobalt (Co)	130	ND	ND	ND	ND	ND	ND		
Copper (Cu)	7,700	ND	ND	ND	ND	ND	ND		
Lead (Pb)	23	ND	ND	ND	ND	ND	ND		
Manganese (Mn)	15,000	ND	ND	ND	ND	ND	ND		
Mercury (Hg)	94	ND	ND	ND	ND	ND	ND		
Nickel (Ni)	930	ND	ND	ND	ND	ND	ND		
Selenium (Se)	460	ND	ND	ND	ND	ND	ND		
Strontium (Sr)	56,000	ND	ND	ND	ND	ND	ND		
Tin (Sn)	180,000	ND	ND	ND	ND	0.2	ND		
Organic tin [#]	12	0.3	ND	ND	0.3	0.5	ND		
Zinc (Zn)	46,000	ND	ND	ND	ND	ND	ND		



Date: 2021-07-26 Page 10 of 77

No. : HP21070145

III. <u>EN 71 : Part 3 : 2019</u>

Test Method: Heavy element analysis was determined by Inductively Coupled Plasma Spectrometry (ICP-OES) and/or Inductively Coupled Plasma Mass Spectrometry (ICP-MS) and/or Gas Chromatography Mass Spectrometry (GCMS).

771	Migration limit	Result (mg/kg)						
Element	(mg/kg)	Sample						
		31	32	33	34	35	36	
Aluminium (Al)	28130*	ND	ND	ND	ND	ND	ND	
Antimony (Sb)	560	ND	ND	ND	ND	ND	ND	
Arsenic (As)	47	ND	ND	ND	ND	ND	ND	
Barium (Ba)	18,750	ND	ND	ND	ND	ND	ND	
Boron (B)	15,000	ND	ND	ND	ND	ND	ND	
Cadmium (Cd)	17	ND	ND	ND	ND	ND	ND	
Chromium (III)	460	BL	BL	BL	BL	BL	BL	
Chromium (VI)	0.053	BL	BL	BL	BL	BL	BL	
Cobalt (Co)	130	ND	ND	ND	ND	ND	ND	
Copper (Cu)	7,700	ND	ND	ND	ND	ND	ND	
Lead (Pb)	23	ND	ND	ND	ND	ND	ND	
Manganese (Mn)	15,000	ND	ND	ND	ND	ND	ND	
Mercury (Hg)	94	ND	ND	ND	ND	ND	ND	
Nickel (Ni)	930	ND	ND	ND	ND	ND	ND	
Selenium (Se)	460	ND	ND	ND	ND	ND	ND	
Strontium (Sr)	56,000	ND	ND	ND	ND	ND	ND	
Tin (Sn)	180,000	ND	ND	ND	ND	0.4	ND	
Organic tin#	12	ND	ND	ND	ND	0.9	ND	
Zinc (Zn)	46,000	ND	ND	ND	ND	ND	ND	



Date: 2021-07-26 Page 11 of 77

No. : HP21070145

III. <u>EN 71 : Part 3 : 2019</u>

Test Method: Heavy element analysis was determined by Inductively Coupled Plasma Spectrometry (ICP-OES) and/or Inductively Coupled Plasma Mass Spectrometry (ICP-MS) and/or Gas Chromatography Mass Spectrometry (GCMS).

Element	Migration limit	Result (mg/kg)							
	(mg/kg)	Sample							
		37	38	39	40	41	42		
Aluminium (Al)	28130*	ND	6	ND	ND	ND	10		
Antimony (Sb)	560	ND	ND	ND	ND	ND	ND		
Arsenic (As)	47	ND	ND	ND	ND	ND	ND		
Barium (Ba)	18,750	ND	ND	ND	ND	ND	ND		
Boron (B)	15,000	ND	ND	ND	ND	ND	ND		
Cadmium (Cd)	17	ND	ND	ND	ND	ND	ND		
Chromium (III)	460	BL	BL	BL	BL	BL	BL		
Chromium (VI)	0.053	BL	BL	BL	BL	BL	BL		
Cobalt (Co)	130	ND	ND	ND	ND	ND	ND		
Copper (Cu)	7,700	ND	ND	ND	ND	ND	ND		
Lead (Pb)	23	ND	ND	ND	ND	ND	ND		
Manganese (Mn)	15,000	ND	ND	ND	ND	ND	ND		
Mercury (Hg)	94	ND	ND	ND	ND	ND	ND		
Nickel (Ni)	930	ND	ND	ND	ND	ND	ND		
Selenium (Se)	460	ND	ND	ND	ND	ND	ND		
Strontium (Sr)	56,000	ND	ND	ND	ND	ND	ND		
Tin (Sn)	180,000	ND	0.2	ND	ND	ND	ND		
Organic tin [#]	12	ND	0.5	ND	ND	ND	ND		
Zinc (Zn)	46,000	ND	ND	ND	ND	ND	ND		



Date: 2021-07-26 Page 12 of 77

No. : HP21070145

III. <u>EN 71 : Part 3 : 2019</u>

Test Method: Heavy element analysis was determined by Inductively Coupled Plasma Spectrometry (ICP-OES) and/or Inductively Coupled Plasma Mass Spectrometry (ICP-MS) and/or Gas Chromatography Mass Spectrometry (GCMS).

Element	Migration limit	Result (mg/kg)						
Element	(mg/kg)	Sample						
		43	44	45	46	47	48	
Aluminium (Al)	28130*	ND	ND	6	ND	ND	ND	
Antimony (Sb)	560	ND	ND	ND	ND	ND	ND	
Arsenic (As)	47	ND	ND	ND	ND	ND	ND	
Barium (Ba)	18,750	ND	ND	ND	ND	ND	ND	
Boron (B)	15,000	ND	ND	ND	ND	ND	ND	
Cadmium (Cd)	17	ND	ND	ND	ND	ND	ND	
Chromium (III)	460	BL	BL	BL	BL	BL	BL	
Chromium (VI)	0.053	BL	BL	BL	BL	BL	BL	
Cobalt (Co)	130	ND	ND	ND	ND	ND	ND	
Copper (Cu)	7,700	ND	ND	ND	ND	ND	ND	
Lead (Pb)	23	ND	ND	ND	ND	ND	ND	
Manganese (Mn)	15,000	ND	ND	ND	ND	ND	ND	
Mercury (Hg)	94	ND	ND	ND	ND	ND	ND	
Nickel (Ni)	930	ND	ND	ND	ND	ND	ND	
Selenium (Se)	460	ND	ND	ND	ND	ND	ND	
Strontium (Sr)	56,000	ND	ND	ND	ND	ND	ND	
Tin (Sn)	180,000	ND	ND	ND	ND	ND	0.3	
Organic tin [#]	12	0.2	ND	0.4	0.5	0.3	0.7	
Zinc (Zn)	46,000	ND	ND	ND	ND	ND	ND	



Date: 2021-07-26 Page 13 of 77 **No.**: HP21070145

III. <u>EN 71 : Part 3 : 2019</u>

Test Method: Heavy element analysis was determined by Inductively Coupled Plasma Spectrometry (ICP-OES) and/or Inductively Coupled Plasma Mass Spectrometry (ICP-MS) and/or Gas Chromatography Mass Spectrometry (GCMS).

Category III – Scraped-off toy material

	Migration limit	Re	sult (mg/k	xg)	
Element	(mg/kg)	Sample			
		49	50	51	
Aluminium (Al)	28130*	ND	ND	ND	
Antimony (Sb)	560	ND	ND	ND	
Arsenic (As)	47	ND	ND	ND	
Barium (Ba)	18,750	ND	ND	ND	
Boron (B)	15,000	ND	ND	ND	
Cadmium (Cd)	17	ND	ND	ND	
Chromium (III)	460	BL	BL	BL	
Chromium (VI)	0.053	BL	BL	BL	
Cobalt (Co)	130	ND	ND	ND	
Copper (Cu)	7,700	ND	ND	ND	
Lead (Pb)	23	ND	ND	ND	
Manganese (Mn)	15,000	ND	ND	ND	
Mercury (Hg)	94	ND	ND	ND	
Nickel (Ni)	930	ND	ND	ND	
Selenium (Se)	460	ND	ND	ND	
Strontium (Sr)	56,000	ND	ND	ND	
Tin (Sn)	180,000	ND	ND	ND	
Organic tin#	12	0.3	ND	ND	
Zinc (Zn)	46,000	ND	ND	ND	

Note: • All results are in mg/kg

- < denotes less than
- \geq denotes greater than or equal to
- For samples of migrated chromium content lower than migration limit of chromium (VI), no speciation test for chromium (III) and chromium (VI) were conducted. The results were derived from that of total chromium
- For samples of migrated tin content calculated as tributyl tin lower than migration limit of organic tin, no organic tin test was conducted. Organic tin results were derived from that of total tin
- ND = Not detected
- BL = Below Limit



Date: 2021-07-26 Page 14 of 77 **No.**: HP21070145

* The migration limit for Aluminium has been amended by Commission Directive (EU) 2019/1922 and adopted by EN 71-3: 2019+A1: 2021.

For specification with upper limit, compliance is deemed to occur if the measured result is under the limit, even extended upwards by the expanded uncertainty with 95% coverage probability

III. EN 71 : Part 3 : 2019

Category III - Scraped-off toy material

Note:

- The samples with sample weight less than 100 mg, were assumed to be 100 mg in calculation (except glass/ceramic/metallic materials)
- *Organic tin compounds under investigation are limited to methyltin, butyltin, dibutyltin, tributyltin, tetrabutyltin, monooctyltin, dioctyltin, dipropyltin, diphenyltin and triphenyltin. Other organic tin compounds may also be present in toys

Sample	Description	Sample weight
1	Instruction sheet(#A/#B/#C/#D/#E/#F/#G): red/blue/green/black	≥100 mg
	multicolor coating	
2	Instruction sheet(#A/#B/#C/#D/#E/#F/#G): white paper	≥100 mg
3	Basic parts: red ABS	≥100 mg
4	Basic parts: blue ABS	≥100 mg
5	Basic parts: yellow ABS	≥100 mg
6	Basic parts: green ABS	≥100 mg
7	Basic parts: pink ABS	≥100 mg
8	Basic parts: sky blue ABS	≥100 mg
9	Basic parts: orange ABS	≥100 mg
10	Basic parts: lime ABS	≥100 mg
11	Basic parts: white ABS	≥100 mg
12	Basic parts: black ABS	≥100 mg
13	Basic parts: brown ABS	≥100 mg
14	Basic parts: gray ABS	≥100 mg
15	Basic parts: lavender ABS	≥100 mg
16	Center of middle size wheel: dull white ABS	≥100 mg
17	Basic parts: red POM	≥100 mg
18	Basic parts: blue POM	≥100 mg
19	Basic parts: yellow POM	≥100 mg
20	Basic parts: green POM	≥100 mg
21	Basic parts: pink POM	≥100 mg
22	Basic parts: sky blue POM	≥100 mg
23	Basic parts: orange POM	≥100 mg
24	Basic parts: lime POM	≥100 mg



Date: 2021-07-26 Page 15 of 77

: HP21070145 No.

III. EN 71: Part 3: 2019

Category III – Scraped-off toy material

Note:

The samples with sample weight less than 100 mg, were assumed to be

100 mg in calculation (except glass/ceramic/metallic materials) "Organic tin compounds under investigation are limited to methyltin, butyltin, dibutyltin, tributyltin, tetrabutyltin, monooctyltin, dioctyltin, dipropyltin, diphenyltin and triphenyltin. Other organic tin compounds may also be present in toys

Sample	Description	Sample weight
25	Basic parts: white POM	≥100 mg
26	Basic parts: black POM	≥100 mg
27	Basic parts: brown POM	≥100 mg
28	Basic parts: gray POM	≥100 mg
29	Basic parts: lavender POM	≥100 mg
30	Wheel: dull gray POM	≥100 mg
31	Shaft/long shaft/ mini shaft: dull black POM	≥100 mg
32	Center of mini wheel: dull white POM	≥100 mg
33	Clear parts: transparent PMMA	≥100 mg
34	Clear parts: transparent red PMMA	≥100 mg
35	Clear parts: transparent blue PMMA	≥100 mg
36	Clear parts: transparent yellow PMMA	≥100 mg
37	Clear parts: transparent PC	≥100 mg
38	Clear parts: transparent red PC	≥100 mg
39	Clear parts: transparent blue PC	≥100 mg
40	Clear parts: transparent yellow PC	≥100 mg
41	Tire of middle size wheel/tire of mini wheel: black PE	≥100 mg
42	Ball joint parts: black plastic	≥100 mg
43	Cross parts: red plastic	≥100 mg
44	Cross parts: black plastic	≥100 mg
45	Cross parts: yellow plastic	≥100 mg
46	Cross parts: white plastic	≥100 mg
47	Blister case: blue plastic	≥100 mg
48	Blister case: pink plastic	≥100 mg
49	Large container/small container: translucent white plastic	≥100 mg
50	Handle of large container/handle of small container: white plastic	≥100 mg
51	Cover of large container/cover of small container: translucent blue plastic	≥100 mg



Date: 2021-07-26 Page 16 of 77

No. : HP21070145

IV. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council,

Annex XVII, Entry 23 and its amendment

Regulation (EU) No. 494/2011 and No. 835/2012

- Cadmium content (formerly Directive 91/338/EEC).

Test Method: Acid digestion followed by Atomic Absorption Spectrophotometry and/or Inductively Coupled Plasma Spectrometry (ICP-OES) analysis.

For plastic material

	Test item
	Total Cadmium
Maximum permissible level (mg/kg)	100
Sample	
1	<5
2	<5
3,4,5	<5
6,7,8	<5
9,10	<5
11,12,13	<5
14,15,16	<5
17,18,19	<5
20,21,22	<5
23,24,25	<5 <5
26,27,28	<5
29,30,31	<5
32,33,34	
35,36,37	<5 <5 <5 <5
38,39,40	<5
41,42,43	<5
44,45,46	<5
47,48	<5
49,50,51	<5

Note: • All results are in mg/kg

- $\stackrel{<}{_{\#}}$ denotes less than denotes composite sample. The results for composite sample are calculated based on the component with the least weight.
- For specification with upper limit, compliance is deemed to occur if the measured result is under the limit, even extended upwards by the expanded uncertainty with 95% coverage probability.

The Hong Kong Standards and Testing Centre Limited 10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong

Tel: +852 2666 1888 Fax: +852 2664 4353 Email: hkstc@hkstc.org Website: www.stc-group.org

This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Limited. For Conditions of Issuance of this test report, please refer to "Conditions of Issuance of Test Reports" section or Website.



Date: 2021-07-26 Page 17 of 77

No. : HP21070145

IV. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council,

Annex XVII, Entry 23 and its amendment

Regulation (EU) No. 494/2011 and No. 835/2012 - Cadmium content (formerly Directive 91/338/EEC).

Test Method: Acid digestion followed by Atomic Absorption Spectrophotometry and/or Inductively Coupled Plasma Spectrometry (ICP-OES) analysis.

Sample	Description
1	Instruction sheet(#A/#B/#C/#D/#E/#F/#G): red/blue/green/black multicolor coating
2	Instruction sheet(#A/#B/#C/#D/#E/#F/#G): white paper
3	Basic parts: red ABS
4	Basic parts: blue ABS
5	Basic parts: yellow ABS
6	Basic parts: green ABS
7	Basic parts: pink ABS
8	Basic parts: sky blue ABS
9	Basic parts: orange ABS
10	Basic parts: lime ABS
11	Basic parts: white ABS
12	Basic parts: black ABS
13	Basic parts: brown ABS
14	Basic parts: gray ABS
15	Basic parts: lavender ABS
16	Center of middle size wheel: dull white ABS
17	Basic parts: red POM
18	Basic parts: blue POM
19	Basic parts: yellow POM
20	Basic parts: green POM
21	Basic parts: pink POM
22	Basic parts: sky blue POM
23	Basic parts: orange POM
24	Basic parts: lime POM
25	Basic parts: white POM
26	Basic parts: black POM
27	Basic parts: brown POM
28	Basic parts: gray POM
29	Basic parts: lavender POM
30	Wheel: dull gray POM
31	Shaft/long shaft/ mini shaft: dull black POM
32	Center of mini wheel: dull white POM



Date: 2021-07-26 Page 18 of 77

No. : HP21070145

IV. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council,

Annex XVII, Entry 23 and its amendment Regulation (EU) No. 494/2011 and No. 835/2012

- Cadmium content (formerly Directive 91/338/EEC).

Test Method: Acid digestion followed by Atomic Absorption Spectrophotometry and/or Inductively Coupled Plasma Spectrometry (ICP-OES) analysis.

Sample	Description
33	Clear parts: transparent PMMA
34	Clear parts: transparent red PMMA
35	Clear parts: transparent blue PMMA
36	Clear parts: transparent yellow PMMA
37	Clear parts: transparent PC
38	Clear parts: transparent red PC
39	Clear parts: transparent blue PC
40	Clear parts: transparent yellow PC
41	Tire of middle size wheel/tire of mini wheel: black PE
42	Ball joint parts: black plastic
43	Cross parts: red plastic
44	Cross parts: black plastic
45	Cross parts: yellow plastic
46	Cross parts: white plastic
47	Blister case: blue plastic
48	Blister case: pink plastic
49	Large container/small container: translucent white plastic
50	Handle of large container/handle of small container: white plastic
51	Cover of large container/cover of small container: translucent blue plastic



Date: 2021-07-26 Page 19 of 77 **No.**: HP21070145

V. European Regulation (EU) No. 1907/2006(REACH) Annex XVII Entry 51 & 52 and its

Test Method: Phthalate analysis was determined by Gas Chromatography.

amendment Commission Regulation (EU) 2018/2005 - Phthalate content.

Sample	Sample Phthalates content, %(w/w)						
	DBP	BBP	DEHP	DIBP	DNOP	DINP	DIDP
1	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
2,3,4	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
5,6,7	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
8,9	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
10,11,12	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
13,14,15	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
16,17,18	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
19,20,21	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
22,23,24	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
25,26,27	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
28,29,30	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
31,32,33	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
34,35,36	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
37,38,39	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
40,41,42	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
43,44,45	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
46,47	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
48,49,50	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Limit			ny combina		The cumulati	ve total of DNO	OP, DINP and
	DBP, B	BP DEHP a	nd DIBP sh	all not be	DIDP shall	not be greater th	nan 0.1% by
	equal to	or greater t	than 0.1% b	y mass of	mass of	the plasticised i	material.
	the plasticised material.			•			

Remark:

- DBP =Di-n-butyl phthalate
- BBP =Benzyl-n-butyl phthalate
- DEHP = Di (2-ethylhexyl) phthalate
- DIBP = Diisobutyl phthalate
- DNOP = Di-n-octyl phthalate
- DINP = Diisononyl phthalate
- DIDP = Diisodecyl phthalate
- %(w/w) = percentage weight per weight
- Method detection limit = 0.01% (w/w)
- The requirements of DNOP, DINP and DIDP are only applicable on tested material which can be placed in the mouth by children.



Date: 2021-07-26 Page 20 of 77 **No.**: HP21070145

- For specification with upper limit, compliance is deemed to occur if the measured result is under the limit, even extended upwards by the expanded uncertainty with 95% coverage probability.

Note: • All results are in % w/w

- % w/w denotes percentage by weight
- < denotes less than
- # denotes composite sample. The results for composite sample are calculated based on the component with the least weight.
- DEHP = Di (2-ethylhexyl) Phthalate; DBP = Dibutyl Phthalate; BBP = Butyl Benzyl Phthalate; DINP = Diisononyl Phthalate; DIDP = Diisodecyl Phthalate; DNOP = Di-n-octyl Phthalate
- V. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council, Annex XVII
 - Phthalates contents (formerly Directive 2005/84/EC)

Test Method: Phthalate analysis was determined by Gas Chromatography.

Sample	Description
1	Instruction sheet(#A/#B/#C/#D/#E/#F/#G): red/blue/green/black multicolor coating
2	Basic parts: red ABS
3	Basic parts: blue ABS
4	Basic parts: yellow ABS
5	Basic parts: green ABS
6	Basic parts: pink ABS
7	Basic parts: sky blue ABS
8	Basic parts: orange ABS
9	Basic parts: lime ABS
10	Basic parts: white ABS
11	Basic parts: black ABS
12	Basic parts: brown ABS
13	Basic parts: gray ABS
14	Basic parts: lavender ABS
15	Center of middle size wheel: dull white ABS
16	Basic parts: red POM
17	Basic parts: blue POM
18	Basic parts: yellow POM
19	Basic parts: green POM
20	Basic parts: pink POM
21	Basic parts: sky blue POM
22	Basic parts: orange POM



Date: 2021-07-26 Page 21 of 77

No. : HP21070145

V. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council, Annex XVII

- Phthalates contents (formerly Directive 2005/84/EC)

Test Method: Phthalate analysis was determined by Gas Chromatography.

Sample	Description
23	Basic parts: lime POM
24	Basic parts: white POM
25	Basic parts: black POM
26	Basic parts: brown POM
27	Basic parts: gray POM
28	Basic parts: lavender POM
29	Wheel: dull gray POM
30	Shaft/long shaft/ mini shaft: dull black POM
31	Center of mini wheel: dull white POM
32	Clear parts: transparent PMMA
33	Clear parts: transparent red PMMA
34	Clear parts: transparent blue PMMA
35	Clear parts: transparent yellow PMMA
36	Clear parts: transparent PC
37	Clear parts: transparent red PC
38	Clear parts: transparent blue PC
39	Clear parts: transparent yellow PC
40	Tire of middle size wheel/tire of mini wheel: black PE
41	Ball joint parts: black plastic
42	Cross parts: red plastic
43	Cross parts: black plastic
44	Cross parts: yellow plastic
45	Cross parts: white plastic
46	Blister case: blue plastic
47	Blister case: pink plastic
48	Large container/small container: translucent white plastic
49	Handle of large container/handle of small container: white plastic
50	Cover of large container/cover of small container: translucent blue plastic



Date: 2021-07-26 Page 22 of 77

No. : HP21070145

VI. <u>ASTM F963-17</u>

a. Physical and Mechanical Tests (For items A, B, C, D, E, F, G)

<u>Applicable</u>	Description	Result
clause		
4.1	Material Quality – Visual Inspection	Pass
4.2	Flammability	Pass
4.6	Small Objects	
4.6.3	Toys intended for children > 3 years but < 6 years,	Pass
	16 CFR 1500.19 Small objects labeling requirement	
4.7	Accessible edges	Pass
	16 CFR 1500.49 Sharp metal or glass edges	
4.9	Accessible points	Pass
	16 CFR 1500.48 Sharp points	
4.12	Plastic film	Pass
5	<u>Labeling requirements</u>	Pass
5.1	Federal government requirements	Pass
5.2	Age grading labeling	Pass
5.3	Safety labeling requirements	Pass
5.11	Small objects, small balls, marbles, and balloons	Pass
	16 CFR 1500.19	
7	Producer's markings	
7.1	Producer's markings	Pass

Remark: The sample(s) were subjected to the normal use and abuse tests in according with Clause 8.5 Normal Use Testing, 8.7 Impact test, 8.8 Torque test, 8.9 Tension test, 8.10 Compression test and 8.12 Flexure test whichever was applicable. Use and abuse test criteria:

Note: For numerical result with upper[lower] limit, compliance is deemed to occur if the measured result is under[above] the upper[lower] limit, even when extended upwards [downwards] by the expanded uncertainty with 95% coverage probability.



Date: 2021-07-26 Page 23 of 77 **No.**: HP21070145

Test	Age Category, months	Test Parameters	16 CFR Reference
Drop test	0 to 18	10 x 4.5 ft	1500.51(b)(3)
	over 18 to 36	4 x 3 ft	1500.52(b)(3)
	over 36 to 96	4 x 3 ft	1500.53(b)(3)
Tip over test	-	3 times	1500.51/52/53 (b)(4)
Tumble test	-	2 x 4 attitudes	-
Steel ball impact test	-	50 inches	-
Torque test	0 to 18	2 in-lbf	1500.51(e)
	over 18 to 36	3 in-lbf	1500.52(e)
	over 36 to 96	4 in-lbf	1500.53(e)
Tension test	0 to 18	10 lbf	1500.51(f)
	over 18 to 36	15 lbf	1500.52(f)
	over 36 to 96	15 lbf	1500.53(f)
Compression test	0 to 18	20 lbf	1500.51(g)
	over 18 to 36	25 lbf	1500.52(g)
	over 36 to 96	30 lbf	1500.53(g)
Flexure test	0 to 18	120 x 30 cycles (10 lbf)	1500.51(d)
	over 18 to 36	120 x 30 cycles (15 lbf)	1500.52(d)
	over 36 to 96	120 x 30 cycles (15 lbf)	1500.53(d)

b. Flammability Test

<u>Applicable</u>	<u>Description</u>	Result
<u>clause</u>		
4.2	Flammability	Pass
	Materials other than textiles (16 CFR 1500.3 (c) (6)	
	(vi)) Test method : Annex A5 (16 CFR 1500.44)	



Date: 2021-07-26 Page 24 of 77 **No.**: HP21070145

VI. <u>ASTM F963-17</u>

Heavy element (in composite condition) Ref.: ASTM F963-17 Section 4.3.5 Method: ASTM F963-17 Section 8.3

Determined by: Inductively Coupled Argon Plasma Atomic Emission

Spectrophotometer

	Test Item
	Total Lead
Permissible Limit (ppm)	100(**)
Sample	
1	<10
2,3,4	<10
5,6,7	<10
8,9	<10
10,11,12	<10
13,14,15	<10
16,17,18	<10
19,20,21	<10
22,23,24	<10
25,26,27	<10
28,29,30	<10
31,32,33	<10
34,35,36	<10
37,38,39	<10
40,41,42	<10
43,44,45	<10
46,47	<10
48,49,50	<10

Note: (**) 100 ppm limit applies to product produced on or after 14 Aug 2011

- All results are in ppm
- \(\left\) denotes less than
- # denotes composite sample. The results for composite sample are calculated based on the component with the least weight.
- For specification with upper limit, compliance is deemed to occur if the measured result is under the limit, even extended upwards by the expanded uncertainty with 95% coverage probability.



Date: 2021-07-26 Page 25 of 77 **No.**: HP21070145

VI. <u>ASTM F963-17</u>

Heavy element

Ref.: ASTM F963-17 Section 4.3.5 Method: ASTM F963-17 Section 8.3

Determined by: Inductively Coupled Argon Plasma Atomic Emission

Sample	Description
1	Instruction sheet(#A/#B/#C/#D/#E/#F/#G): white paper
2	Basic parts: red ABS
3	Basic parts: blue ABS
4	Basic parts: yellow ABS
5	Basic parts: green ABS
6	Basic parts: pink ABS
7	Basic parts: sky blue ABS
8	Basic parts: orange ABS
9	Basic parts: lime ABS
10	Basic parts: white ABS
11	Basic parts: black ABS
12	Basic parts: brown ABS
13	Basic parts: gray ABS
14	Basic parts: lavender ABS
15	Center of middle size wheel: dull white ABS
16	Basic parts: red POM
17	Basic parts: blue POM
18	Basic parts: yellow POM
19	Basic parts: green POM
20	Basic parts: pink POM
21	Basic parts: sky blue POM
22	Basic parts: orange POM
23	Basic parts: lime POM
24	Basic parts: white POM
25	Basic parts: black POM
26	Basic parts: brown POM
27	Basic parts: gray POM
28	Basic parts: lavender POM
29	Wheel: dull gray POM



Date: 2021-07-26 Page 26 of 77 **No.**: HP21070145

VI. <u>ASTM F963-17</u>

Heavy element

Ref.: ASTM F963-17 Section 4.3.5 Method: ASTM F963-17 Section 8.3

Determined by: Inductively Coupled Argon Plasma Atomic Emission

Sample	Description
30	Shaft/long shaft/ mini shaft: dull black POM
31	Center of mini wheel: dull white POM
32	Clear parts: transparent PMMA
33	Clear parts: transparent red PMMA
34	Clear parts: transparent blue PMMA
35	Clear parts: transparent yellow PMMA
36	Clear parts: transparent PC
37	Clear parts: transparent red PC
38	Clear parts: transparent blue PC
39	Clear parts: transparent yellow PC
40	Tire of middle size wheel/tire of mini wheel: black PE
41	Ball joint parts: black plastic
42	Cross parts: red plastic
43	Cross parts: black plastic
44	Cross parts: yellow plastic
45	Cross parts: white plastic
46	Blister case: blue plastic
47	Blister case: pink plastic
48	Large container/small container: translucent white plastic
49	Handle of large container/handle of small container: white plastic
50	Cover of large container/cover of small container: translucent blue plastic



Date: 2021-07-26 Page 27 of 77 **No.** : HP21070145

Heavy element

Ref.: ASTM F963-17 Section 4.3.5 Method: ASTM F963-17 Section 8.3

Determined by: Inductively Coupled Argon Plasma Atomic Emission

Spectrophotometer

	Test Item
	Total Lead
Permissible Limit (ppm)	90(**)
Sample	
1	<10

Note: (**) 90 ppm limit applies to product produced on or after 14 Aug 2011

- All results are in ppm
- denotes less than
 denotes composite sample. The results for composite sample are calculated based on the component with the least weight.
- For specification with upper limit, compliance is deemed to occur if the measured result is under the limit, even extended upwards by the expanded uncertainty with 95% coverage probability.

VI. ASTM F963-17

Heavy element

Ref.: ASTM F963-17 Section 4.3.5 Method: ASTM F963-17 Section 8.3

Determined by: Inductively Coupled Argon Plasma Atomic Emission

Sample	Description
1	Instruction sheet(#A/#B/#C/#D/#E/#F/#G): red/blue/green/black multicolor coating



Date: 2021-07-26 Page 28 of 77

No. : HP21070145

VI. <u>ASTM F963-17</u>

Heavy element

Ref.: ASTM F963-17 Section 4.3.5 Method: ASTM F963-17 Section 8.3

Determined by: Inductively Coupled Argon Plasma Atomic Emission

	Test Item							
	As	Hg	Se	Cd	Sb	Pb	Cr	Ba
Maximum Permissible Level (ppm)	25	60	500	75	60	90	60	1000
Sample								
1	<5	<5	<5	<5	<5	<5	<5	<20
2	<5	<5	<5	<5	<5	<5	<5	<20
3	<5	<5	<5	<5	<5	<5	<5	<20
4	<5	<5	<5	<5	<5	<5	<5	<20
5	<5	<5	<5	<5	<5	<5	<5	<20
6	<5	<5	<5	<5	<5	<5	<5	<20
7	<5	<5	<5	<5	<5	<5	<5	<20
8	<5	<5	<5	<5	<5	<5	<5	< 20
9	<5	<5	<5	<5	<5	<5	<5	<20
10	<5	<5	<5	<5	<5	<5	<5	< 20
11	<5	<5	<5	<5	<5	<5	<5	<20
12	<5	<5	<5	<5	<5	<5	<5	<20
13	<5	<5	<5	<5	<5	<5	<5	<20
14	<5	<5	<5	<5	<5	<5	<5	<20
15	<5	<5	<5	<5	<5	<5	<5	< 20
16	<5	<5	<5	<5	<5	<5	<5	<20
17	<5	<5	<5	<5	<5	<5	<5	<20
18	<5	<5	<5	<5	<5	<5	<5	<20
19	<5	<5	<5	<5	<5	<5	<5	<20
20	<5	<5	<5	<5	<5	<5	<5	<20
21	<5	<5	<5	<5	<5	<5	<5	<20
22	<5	<5	<5	<5	<5	<5	<5	<20
23	<5	<5	<5	<5	<5	<5	<5	<20
24	<5	<5	<5	<5	<5	<5	<5	<20
25	<5	<5	<5	<5	<5	<5	<5	<20
26	<5	<5	<5	<5	<5	<5	<5	<20
27	<5	<5	<5	<5	<5	<5	<5	<20



Date: 2021-07-26 Page 29 of 77 **No.**: HP21070145

VI. <u>ASTM F963-17</u>

Heavy element

Ref.: ASTM F963-17 Section 4.3.5 Method: ASTM F963-17 Section 8.3

Determined by: Inductively Coupled Argon Plasma Atomic Emission

	1							
	Test Item							
	As	Hg	Se	Cd	Sb	Pb	Cr	Ba
Maximum Permissible Level (ppm)	25	60	500	75	60	90	60	1000
Sample								
28	<5	<5	<5	<5	<5	<5	<5	<20
29	<5	<5	<5	<5	<5	<5	<5	<20
30	<5	<5	<5	<5	<5	<5	<5	<20
31	<5	<5	<5	<5	<5	<5	<5	<20
32	<5	<5	<5	<5	<5	<5	<5	<20
33	<5	<5	<5	<5	<5	<5	<5	<20
34	<5	<5	<5	<5	<5	<5	<5	<20
35	<5	<5	<5	<5	<5	<5	<5	<20
36	<5	<5	<5	<5	<5	<5	<5	<20
37	<5	<5	<5	<5	<5	<5	<5	< 20
38	<5	<5	<5	<5	<5	<5	<5	< 20
39	<5	<5	<5	<5	<5	<5	<5	<20
40	<5	<5	<5	<5	<5	<5	<5	< 20
41	<5	<5	<5	<5	<5	<5	<5	< 20
42	<5	<5	<5	<5	<5	<5	<5	< 20
43	<5	<5	<5	<5	<5	<5	<5	< 20
44	<5	<5	<5	<5	<5	<5	<5	< 20
45	<5	<5	<5	<5	<5	<5	<5	< 20
46	<5	<5	<5	<5	<5	<5	<5	<20
47	<5	<5	<5	<5	<5	<5	<5	<20
48	<5	<5	<5	<5	<5	<5	<5	<20
49	<5	<5	<5	<5	<5	<5	<5	<20
50	<5	<5	<5	<5	<5	<5	<5	<20
51	<5	<5	<5	<5	<5	<5	<5	< 20



Date: 2021-07-26 Page 30 of 77

No. : HP21070145

Note: • All results are in ppm

• ppm denotes part per million by weight

• < denotes less than

• ≥ denotes greater than or equal to

• As = Arsenic; Hg = Mercury; Se = Selenium; Cd = Cadmium; Sb = Antimony; Pb = Lead; Cr = Chromium; Ba = Barium

• For specification with upper limit, compliance is deemed to occur if the measured result is under the limit, even extended upwards by the expanded uncertainty with 95% coverage probability.

VI. <u>ASTM F963-17</u>

Heavy element

Ref.: ASTM F963-17 Section 4.3.5 Method: ASTM F963-17 Section 8.3

Determined by: Inductively Coupled Argon Plasma Atomic Emission

Sample	Description	Sample weight
1	Instruction sheet(#A/#B/#C/#D/#E/#F/#G): red/blue/green/black	≥100 mg
	multicolor coating	
2	Instruction sheet(#A/#B/#C/#D/#E/#F/#G): white paper	≥100 mg
3	Basic parts: red ABS	≥100 mg
4	Basic parts: blue ABS	≥100 mg
5	Basic parts: yellow ABS	≥100 mg
6	Basic parts: green ABS	≥100 mg
7	Basic parts: pink ABS	≥100 mg
8	Basic parts: sky blue ABS	≥100 mg
9	Basic parts: orange ABS	≥100 mg
10	Basic parts: lime ABS	≥100 mg
11	Basic parts: white ABS	≥100 mg
12	Basic parts: black ABS	≥100 mg
13	Basic parts: brown ABS	≥100 mg
14	Basic parts: gray ABS	≥100 mg
15	Basic parts: lavender ABS	≥100 mg
16	Center of middle size wheel: dull white ABS	≥100 mg
17	Basic parts: red POM	≥100 mg
18	Basic parts: blue POM	≥100 mg
19	Basic parts: yellow POM	≥100 mg
20	Basic parts: green POM	≥100 mg
21	Basic parts: pink POM	≥100 mg
22	Basic parts: sky blue POM	≥100 mg
23	Basic parts: orange POM	≥100 mg
24	Basic parts: lime POM	≥100 mg



Date: 2021-07-26 Page 31 of 77 **No.**: HP21070145

VI. <u>ASTM F963-17</u>

Heavy element

Ref.: ASTM F963-17 Section 4.3.5 Method: ASTM F963-17 Section 8.3

Determined by: Inductively Coupled Argon Plasma Atomic Emission

Sample	Description	Sample weight
25	Basic parts: white POM	≥100 mg
26	Basic parts: black POM	≥100 mg
27	Basic parts: brown POM	≥100 mg
28	Basic parts: gray POM	≥100 mg
29	Basic parts: lavender POM	≥100 mg
30	Wheel: dull gray POM	≥100 mg
31	Shaft/long shaft/ mini shaft: dull black POM	≥100 mg
32	Center of mini wheel: dull white POM	≥100 mg
33	Clear parts: transparent PMMA	≥100 mg
34	Clear parts: transparent red PMMA	≥100 mg
35	Clear parts: transparent blue PMMA	≥100 mg
36	Clear parts: transparent yellow PMMA	≥100 mg
37	Clear parts: transparent PC	≥100 mg
38	Clear parts: transparent red PC	≥100 mg
39	Clear parts: transparent blue PC	≥100 mg
40	Clear parts: transparent yellow PC	≥100 mg
41	Tire of middle size wheel/tire of mini wheel: black PE	≥100 mg
42	Ball joint parts: black plastic	≥100 mg
43	Cross parts: red plastic	≥100 mg
44	Cross parts: black plastic	≥100 mg
45	Cross parts: yellow plastic	≥100 mg
46	Cross parts: white plastic	≥100 mg
47	Blister case: blue plastic	≥100 mg
48	Blister case: pink plastic	≥100 mg
49	Large container/small container: translucent white plastic	≥100 mg
50	Handle of large container/handle of small container: white plastic	≥100 mg
51	Cover of large container/cover of small container: translucent blue	≥100 mg
	plastic	



Date: 2021-07-26 Page 32 of 77

No. : HP21070145

VII. <u>Children's products containing lead - Total lead content in substrate</u> (in composite

condition)

Ref.: CPSIA Sec 101(a) and 15 U.S. Code § 1278a.

Test method: Standard operation procedure for determining total lead (Pb) in

non-metal children's products, CPSC-CH-E1002-08.1

Test method: Standard operation procedure for determining total lead (Pb) in metal

children's products, CPSC-CH-E1001-08.3

Determined by: Inductively Coupled Argon Plasma Atomic Emission

Spectrophotometer

For materials and substrate

	Test Item
	Total Lead
Permissible Limit (mg/kg)	100(*)
Sample	
1	<10
2,3,4	<10
5,6,7	<10
8,9	<10
10,11,12	<10
13,14,15	<10
16,17,18	<10
19,20,21	<10
22,23,24	<10
25,26,27	<10
28,29,30	<10
31,32,33	<10
34,35,36	<10
37,38,39	<10
40,41,42	<10
43,44,45	<10
46,47	<10
48,49,50	<10

Note: • (*) 100 ppm limit applies to product produced on or after 14 Aug 2011

- All results are in mg/kg
- < denotes less than
- # denotes composite sample. The results for composite sample are calculated based on the component with the least weight.
- For specification with upper limit, compliance is deemed to occur if the

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong

Tel: +852 2666 1888 Fax: +852 2664 4353 Email: hkstc@hkstc.org Website: www.stc-group.org

This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Limited.

For Conditions of Issuance of this test report, please refer to "Conditions of Issuance of Test Reports" section or Website.



Date: 2021-07-26 Page 33 of 77 **No.**: HP21070145

measured result is under the limit, even extended upwards by the expanded uncertainty with 95% coverage probability.

VII. Children's products containing lead - Total lead content in substrate

Ref.: CPSIA Sec 101(a) and 15 U.S. Code § 1278a.

Test method: Standard operation procedure for determining total lead (Pb) in

non-metal children's products, CPSC-CH-E1002-08.1

Test method: Standard operation procedure for determining total lead (Pb) in metal

children's products, CPSC-CH-E1001-08.3

Determined by: Inductively Coupled Argon Plasma Atomic Emission

Sample	Description
1	Instruction sheet(#A/#B/#C/#D/#E/#F/#G): white paper
2	Basic parts: red ABS
3	Basic parts: blue ABS
4	Basic parts: yellow ABS
5	Basic parts: green ABS
6	Basic parts: pink ABS
7	Basic parts: sky blue ABS
8	Basic parts: orange ABS
9	Basic parts: lime ABS
10	Basic parts: white ABS
11	Basic parts: black ABS
12	Basic parts: brown ABS
13	Basic parts: gray ABS
14	Basic parts: lavender ABS
15	Center of middle size wheel: dull white ABS
16	Basic parts: red POM
17	Basic parts: blue POM
18	Basic parts: yellow POM
19	Basic parts: green POM
20	Basic parts: pink POM
21	Basic parts: sky blue POM
22	Basic parts: orange POM
23	Basic parts: lime POM
24	Basic parts: white POM
25	Basic parts: black POM
26	Basic parts: brown POM
27	Basic parts: gray POM



Date: 2021-07-26 Page 34 of 77

No. : HP21070145

VII. Children's products containing lead - Total lead content in substrate

Ref.: CPSIA Sec 101(a) and 15 U.S. Code § 1278a.

Test method: Standard operation procedure for determining total lead (Pb) in

non-metal children's products, CPSC-CH-E1002-08.1

Test method: Standard operation procedure for determining total lead (Pb) in metal

children's products, CPSC-CH-E1001-08.3

Determined by: Inductively Coupled Argon Plasma Atomic Emission

Sample	Description
28	Basic parts: lavender POM
29	Wheel: dull gray POM
30	Shaft/long shaft/ mini shaft: dull black POM
31	Center of mini wheel: dull white POM
32	Clear parts: transparent PMMA
33	Clear parts: transparent red PMMA
34	Clear parts: transparent blue PMMA
35	Clear parts: transparent yellow PMMA
36	Clear parts: transparent PC
37	Clear parts: transparent red PC
38	Clear parts: transparent blue PC
39	Clear parts: transparent yellow PC
40	Tire of middle size wheel/tire of mini wheel: black PE
41	Ball joint parts: black plastic
42	Cross parts: red plastic
43	Cross parts: black plastic
44	Cross parts: yellow plastic
45	Cross parts: white plastic
46	Blister case: blue plastic
47	Blister case: pink plastic
48	Large container/small container: translucent white plastic
49	Handle of large container/handle of small container: white plastic
50	Cover of large container/cover of small container: translucent blue plastic



Date: 2021-07-26 Page 35 of 77

No. : HP21070145

VII. Children's products containing lead - Total lead content in paint and surface coating

Ref.: CPSIA Sec. 101 (f), 16 CFR 1303 and 15 U.S. Code § 1278a.

Test method: CPSC-CH-E 1003-09.1

Determined by: Inductively Coupled Argon Plasma Atomic Emission

Spectrophotometer

For surface coating

	Test Item
	Total Lead
Permissible Limit (mg/kg)	90(*)
Sample	
1	<10

Note: •

- (*) 100 ppm limit applies to product produced on or after 14 Aug 2011
- All results are in mg/kg
- < denotes less than
- # denotes composite sample. The results for composite sample are calculated based on the component with the least weight.
- For specification with upper limit, compliance is deemed to occur if the measured result is under the limit, even extended upwards by the expanded uncertainty with 95% coverage probability.
- VII. Children's products containing lead Total lead content in paint and surface coating

Ref.: CPSIA Sec. 101 (f), 16 CFR 1303 and 15 U.S. Code § 1278a.

Test method: CPSC-CH-E 1003-09.1

Determined by: Inductively Coupled Argon Plasma Atomic Emission

Sample	Description
1	Instruction sheet(#1/#2/#3/#4/#5/#6/#7): red/blue/green/black multicolor coating



Date: 2021-07-26 Page 36 of 77

No. : HP21070145

VIII. Phthalates content (in composite condition)

Ref.: CPSIA Sec. 108 & 16 CFR 1307 and 15 U.S. Code § 2057c.

Test method: CPSC-CH-C1001-09.4 by Gas Chromatography with Mass Selective

Detector

Sample No.	Phthalates content, %(w/w)										
	DBP	BBP	DEHP	DINP	DHEXP	DIBP	DPENP	DCHP	DNOP	DIDP	
1	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	
2,3,4	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	
5,6,7	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	
8,9	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	
10,11,12	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	
13,14,15	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	
16,17,18	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	
19,20,21	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	
22,23,24	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	
25,26,27	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	
28,29,30	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	
31,32,33	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	
34,35,36	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	
37,38,39	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	
40,41,42	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	
43,44,45	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	
46,47	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	
48,49,50	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	
Limit	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	See Note		

Remark:

%(w/w)

DBP =Di-n-butyl phthalate **BBP** =Benzyl-n-butyl phthalate **DEHP** = Di (2-ethylhexyl) phthalate **DNOP** = Di-n-octyl phthalate = Diisononyl phthalate DINP = Diisodecyl phthalate DIDP DHEXP =Di-n-hexyl phthalate DIBP =Diisobutyl phthalate **DPENP** =Di-n-pentyl phthalate **DCHP** =Dicyclohexyl phthalate

=percentage weight per weight

The Hong Kong Standards and Testing Centre Limited

10 Dai Wang Street, Taipo Industrial Estate, Tai Po, N.T., Hong Kong

Tel: +852 2666 1888 Fax: +852 2664 4353 Email: hkstc@hkstc.org Website: www.stc-group.org

This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Limited. For Conditions of Issuance of this test report, please refer to "Conditions of Issuance of Test Reports" section or Website.



Date: 2021-07-26 Page 37 of 77 **No.**: HP21070145

Note: The results of DNOP and DIDP are for reference only.

Note: • All results are in % w/w

• % w/w denotes percentage by weight

• < denotes less than

• # denotes composite sample. The results for composite sample are calculated based on the component with the least weight

• For specification with upper limit, compliance is deemed to occur if the measured result is under the limit, even extended upwards by the expanded uncertainty with 95% coverage probability.

VIII. Phthalates content

Ref.: CPSIA Sec. 108 & 16 CFR 1307 and 15 U.S. Code § 2057c. Test method: CPSC-CH-C1001-09.4 by Gas Chromatography with Mass Selective Detector

Sample	Description
1	Instruction sheet(#A/#B/#C/#D/#E/#F/#G): red/blue/green/black multicolor coating
2	Basic parts: red ABS
3	Basic parts: blue ABS
4	Basic parts: yellow ABS
5	Basic parts: green ABS
6	Basic parts: pink ABS
7	Basic parts: sky blue ABS
8	Basic parts: orange ABS
9	Basic parts: lime ABS
10	Basic parts: white ABS
11	Basic parts: black ABS
12	Basic parts: brown ABS
13	Basic parts: gray ABS
14	Basic parts: lavender ABS
15	Center of middle size wheel: dull white ABS
16	Basic parts: red POM
17	Basic parts: blue POM
18	Basic parts: yellow POM
19	Basic parts: green POM
20	Basic parts: pink POM
21	Basic parts: sky blue POM
22	Basic parts: orange POM
23	Basic parts: lime POM
24	Basic parts: white POM



Date: 2021-07-26 Page 38 of 77

No. : HP21070145

VIII. Phthalates content

Ref.: CPSIA Sec. 108 & 16 CFR 1307 and 15 U.S. Code § 2057c.

Test method: CPSC-CH-C1001-09.4 by Gas Chromatography with Mass Selective


Detector


Sample	Description
25	Basic parts: black POM
26	Basic parts: brown POM
27	Basic parts: gray POM
28	Basic parts: lavender POM
29	Wheel: dull gray POM
30	Shaft/long shaft/ mini shaft: dull black POM
31	Center of mini wheel: dull white POM
32	Clear parts: transparent PMMA
33	Clear parts: transparent red PMMA
34	Clear parts: transparent blue PMMA
35	Clear parts: transparent yellow PMMA
36	Clear parts: transparent PC
37	Clear parts: transparent red PC
38	Clear parts: transparent blue PC
39	Clear parts: transparent yellow PC
40	Tire of middle size wheel/tire of mini wheel: black PE
41	Ball joint parts: black plastic
42	Cross parts: red plastic
43	Cross parts: black plastic
44	Cross parts: yellow plastic
45	Cross parts: white plastic
46	Blister case: blue plastic
47	Blister case: pink plastic
48	Large container/small container: translucent white plastic
49	Handle of large container/handle of small container: white plastic
50	Cover of large container/cover of small container: translucent blue plastic



Date: 2021-07-26 Page 39 of 77 **No.**: HP21070145

Appendix for Photos of the Submitted Sample







Date: 2021-07-26 Page 40 of 77 **No.**: HP21070145







Date: 2021-07-26 Page 41 of 77 **No.**: HP21070145





Date: 2021-07-26 Page 42 of 77 **No.**: HP21070145







Date: 2021-07-26 Page 43 of 77 **No.**: HP21070145








Date: 2021-07-26 Page 44 of 77 **No.**: HP21070145









Date: 2021-07-26 Page 45 of 77 **No.**: HP21070145







Date: 2021-07-26 Page 46 of 77 **No.**: HP21070145







Date: 2021-07-26 Page 47 of 77 **No.**: HP21070145








Date: 2021-07-26 Page 48 of 77 **No.**: HP21070145







Date: 2021-07-26 Page 49 of 77 **No.**: HP21070145






Date: 2021-07-26 Page 50 of 77 **No.**: HP21070145






Date: 2021-07-26 Page 51 of 77 **No.**: HP21070145





Date: 2021-07-26 Page 52 of 77 **No.**: HP21070145





Date: 2021-07-26 Page 53 of 77 **No.**: HP21070145





Date: 2021-07-26 Page 54 of 77 **No.**: HP21070145





Date: 2021-07-26 Page 55 of 77 **No.**: HP21070145





Date: 2021-07-26 Page 56 of 77 **No.**: HP21070145







Date: 2021-07-26 Page 57 of 77 **No.**: HP21070145





Date: 2021-07-26 Page 58 of 77 **No.**: HP21070145





Date: 2021-07-26 Page 59 of 77 **No.**: HP21070145







Date: 2021-07-26 Page 60 of 77 **No.**: HP21070145








Date: 2021-07-26 Page 61 of 77 **No.**: HP21070145





Date: 2021-07-26 Page 62 of 77 **No.**: HP21070145





Date: 2021-07-26 Page 63 of 77 **No.**: HP21070145





Date: 2021-07-26 Page 64 of 77 **No.**: HP21070145








Date: 2021-07-26 Page 65 of 77






Date: 2021-07-26 Page 66 of 77 **No.**: HP21070145






Date: 2021-07-26 Page 67 of 77 **No.**: HP21070145






Date: 2021-07-26 Page 68 of 77 **No.**: HP21070145






Date: 2021-07-26 Page 69 of 77 **No.**: HP21070145








Date: 2021-07-26 Page 70 of 77 **No.**: HP21070145







Date: 2021-07-26 Page 71 of 77 **No.**: HP21070145







Date: 2021-07-26 Page 72 of 77 **No.**: HP21070145





Date: 2021-07-26 Page 73 of 77 **No.**: HP21070145





Date: 2021-07-26 Page 74 of 77 **No.**: HP21070145





Date: 2021-07-26 Page 75 of 77 **No.**: HP21070145





Date: 2021-07-26 Page 76 of 77 **No.**: HP21070145





Date: 2021-07-26 Page 77 of 77 **No.**: HP21070145



Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by The Hong Kong Standards & Testing Centre Limited (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The Company provides its services on the basis that such terms and conditions constitute express agreement between the Company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by the Company as a result of this application for testing service (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to his customer, supplier or other persons directly concerned. Subject to clause 3, the Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall be at liberty to disclose the testing-related documents and/or files anytime to any third-party accreditation and/or recognition bodies for audit or other related purposes. No liabilities whatsoever shall attach to the Company's act of disclosure.
- 4. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 5. The results in Report apply only to the sample as received and do not apply to the bulk, unless the sampling has been carried out by the Company and is stated as such in the Report.
- 6. When a statement of conformity to a specification or standard is provided, the ILAC-G8 Guidance document (and/or IEC Guide 115 in the electrotechnical sector) will be adopted as a decision rule for the determination of conformity unless it is inherent in the requested specification or standard, or otherwise specified in the Report.
- 7. In the event of the improper use the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 8. Sample submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 9. The Company will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
- 10. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 11. Subject to the variable length of retention time for test data and report stored hereinto as to otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of this test report for a period of three years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after the retention period. Under no circumstances shall we be liable for damages of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.
- 12. Issuance records of the Report are available on the internet at www.stc.group. Further enquiry of validity or verification of the Reports should be addressed to the Company.